

# Indian Minerals Yearbook 2021 (Part- III : Mineral Reviews)

60<sup>th</sup> Edition

## MINOR MINERALS 30.18 OTHER CALCAREOUS MATERIALS

(ADVANCE RELEASE)

GOVERNMENT OF INDIA MINISTRY OF MINES INDIAN BUREAU OF MINES

> Indira Bhavan, Civil Lines, NAGPUR – 440 001

PHONE/FAX NO. (0712) 2565471 PBX : (0712) 2562649, 2560544, 2560648 E-MAIL : cme@ibm.gov.in Website: www.ibm.gov.in

April, 2023

30-18-1

O ther calcareous material used by industry is o'chalk', a white, extremely fine-grained, usually soft and friable variety of limestone, composed largely of microscopic small remains of foraminifera and broken shelly fragments; 'kankar', irregular nodules and concretions of impure calcium carbonate of all sizes found in the older surface alluvium or soils; and 'limeshell', the thick calcareous shells of molluscs deposited in the form of beds as well as present in ancient lakes and shallow seas. A limestone rock which separates well along the stratification into a few centimetres thick slab is termed 'flagstone'. The dimension limestone is used for buildings and as ornamental stones.

The total resources of chalk of all categories and grades as per NMI data based on UNFC system as on 1.4.2015 has been estimated in Gujarat at 6.75 million tonnes of which 5.06 million tonnes (75%) are under Reserves category and 1.69 million tonnes (25%) are under Remaining Resources category (Table-1).

### Limekankar

As per Govt of India Notification S.O. 423(E), dated 10<sup>th</sup> February 2015, 'limekankar' has been declared as 'Minor Mineral', hence the producers report the production data directly to the respective States and not to IBM. Production data of limekankar was not available.

#### Chalk

As per Govt of India Notification S.O. 423(E), dated 10<sup>th</sup> February 2015, 'chalk' has been declared as 'Minor Mineral', hence the producers report the production data directly to the respective States and not to IBM. However, efforts were made to collect this information through correspondence with the State Directorates of Mining and Geology of individual states or visiting their websites. All possible information/data that could be gathered has been presented in this Review.

Production data of chalk was not available.

### USES

### Chalk

This soft, friable, porous sedimentary carbonate rock is a form of limestone composed mainly of calcite. It forms under reasonably deep marine conditions from the gradual accumulation of minute shells shed by microorganisms. Chalk deposits are sedimentary types and it has greater resistance to weathering and slumping than the clays with which it is usually associated, thus forming steep cliffs where the chalk ridges meet the sea. Its well jointed nature holds large volume of ground water making it a natural reservoir. Chalk is mined from both above and underground.

Chalk is a common name given to blackboard chalk used for writing on the blackboard because of its property of crumble and easy to erase. Nowadays many substitutes have replaced the natural chalk. Apart from this primary use, it is extensively used as a filler as builder's putty. It is also used to increase pH of soils, in small doses as antacid, as mild abrasive in toothpastes and polishing of metals and also as a fingerprint powder.

### Kankar

Kankar is a nodular variety of limestone which is of spongy nature, found in almost all parts of India containing some quantity of clayey and silicious matter. It is found either in layers or blocks, or in separate nodules. The block form occurs as solid deposits at various depths, and the nodular variety is generally found scattered on the surface or in small thicknesses about a metre or so below the surface in the low lying portions of the catchments of nallas and rivulets. The nodules are of varying sizes from 10 mm to 100 mm. Nodular kankar is superior to block kankar but is not available in large quantities. Shining or glittering particles in a fresh fracture indicate presence of sand. The proportions of clay and sand can be determined by dissolving the sample in powdered form in dilute hydrochloric acid and determining residue left. "Bichwa" kankar as known in Punjab and Uttar Pradesh in India is considered to be the best.

												(In'(	(In'000 tonnes)
		Reserves	ves					Rei	Remaining Resources	rces			Total
Grade/State	Proved	Probable	ble	Total		Pre-fe	asibility	Feasibility Pre-feasibility Measured		Inferred	Indicated Inferred Reconnaissance Total Resources	e Total	Resources
	STD111	STD121 STD122	STD122	(A)	STD211	STD221	STD222	STD211 STD221 STD222 STD331		STD333	STD332 STD333 STD334 (B) (A+B)	(B)	(A+B)
All India : Total	4215	529	319	5064	741	331	151	196		269		1687	6751
By State													
Gujarat	4215	529	319	5064	741	741 331	151	196		269		1687	6751
Figures rounded off.	f.												

Table – 1: Reserves/Resources of Chalk as on 01.04.2015 (By Grades/States)

### OTHER CALCAREOUS MATERIALS

Kankar is extensively used for producing hydraulic lime. The nodules should have a blue grey fracture, free of any sand grains or mud sticking to them, and broken to pass a 12 mm gauge before being calcined.

Only Rajasthan State reported production for Kankar-Bajri of about 28,98,000 tonnes, 56,30,000 & 8709571 tonnes during 2018-19, 2019-20 & 2020-21 respectively.

### **FUTURE OUTLOOK**

Calcareous materials other than limestone and dolomite produced in India are chalk and lime kankar. Chalk is produced in huge quantities from Gujarat state, whereas Limekankar is found and produced locally from many parts of India. Considering their availability in large quantity, low cost and domestic applications Indian deposits have the potential to last for many years.