

Extract from Monthly Statistics of Mineral Production November 2018 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : November 2018

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--|------|----------|--|------|---------|
| India | | | Below 40% Al ₂ O ₃ | | NA |
| Bauxite | t | | 40% Al ₂ O ₃ and above | | 3478 |
| Non-Metallurgical | | | Sillimanite | t | 7809 |
| Cement | | 538 | Limestone | t | |
| Abrasive | | 1629 | LD | | 417 |
| Refractory | | 1694 | SMS | | 350 |
| Chemical | | 793 | Chemical | | 373 |
| Chromite | t | | BF | | 927 |
| Lumps | | | Cement | | 378 |
| Below 40% Cr ₂ O ₃ | | 7055 | Magnesite | t | 2810 |
| 40% to below 52% Cr ₂ O ₃ | | NA | Marl | t | 278 |
| 52% Cr ₂ O ₃ and above | | NA | Moulding Sand | t | 265 |
| Fines | | | Perlite | t | NA |
| Below 40% Cr ₂ O ₃ | | 2444 | Pyrites | t | NA |
| 40% to below 52% Cr ₂ O ₃ | | 11786 | Salt (rock) | t | NA |
| 52% Cr ₂ O ₃ and above | | 14807 | Selenite | t | 2000 |
| Concentrates | | 14660 | Siliceous Earth | t | 642 |
| Iron Ore (lumps) | t | | Vermiculite | t | 2048 |
| Below 55% Fe | | 897 (P) | Wollastonite | t | 981 |
| 55% to below 58% Fe | | 2345 (P) | Andhra Pradesh | | |
| 58% to below 60% Fe | | 3279 | Iron Ore (lumps) | t | |
| 60% to below 62% Fe | | 3582 | Below 55% Fe | | 817 |
| 62% to below 65% Fe | | 4488 | 55% to below 58% Fe | | NA |
| 65% Fe and above | | 5166 | 58% to below 60% Fe | | NA |
| Iron Ore (fines) | t | | 60% to below 62% Fe | | NA |
| Below 55% Fe | | 745 (P) | 62% to below 65% Fe | | NA |
| 55% to below 58% Fe | | 1326 | Iron Ore (fines) | t | |
| 58% to below 60% Fe | | 1849 | Below 55% Fe | | 548 |
| 60% to below 62% Fe | | 1849 | 55% to below 58% Fe | | NA |
| 62% to below 65% Fe | | 2898 | 60% to below 62% Fe | | NA |
| 65% Fe and above | | 3529 | 62% to below 65% Fe | | NA |
| Iron Ore Conc. | t | 2179 | Manganese Ore | t | |
| Manganese Ore | t | | Dioxide ore | | NA |
| Dioxide ore | | 25666 | Below 25% Mn | | 4214 |
| Below 25% Mn | | 3080 (P) | 25% to below 35% Mn | | 5047 |
| 25% to below 35% Mn | | 6491 | 35% to below 46% Mn | | 9407 |
| 35% to below 46% Mn | | 15221 | 46% Mn and above | | NA |
| 46% Mn and above | | 22757 | Apatite | t | NA |
| Apatite | t | NA | Asbestos | t | |
| Phosphorite | t | | Amphibole | | NA |
| Upto 25% P ₂ O ₅ | | 509 | Garnet (abrasive) | t | NA |
| Above 25% to 30% P ₂ O ₅ | | 4200 | Sillimanite | t | NA |
| Above 30% P ₂ O ₅ | | 5000 | Limestone | t | |
| Asbestos | t | | LD | | 417 |
| Amphibole | | NA | SMS | | 350 |
| Diamond | crt | NA | Chemical | | NA |
| Flint Stone | t | NA | BF | | 943 |
| Fluorite (graded) | t | | Cement | | 378 |
| Below 30% CaF ₂ | | NA | Marl | t | 278 |
| 30% to below 70% CaF ₂ | | NA | Vermiculite | t | 600 |
| 70% to below 85% CaF ₂ | | NA | Assam | | |
| 85% CaF ₂ and above | | NA | Limestone | t | |
| Garnet (abrasive) | t | 12609 | Cement | | 378 |
| Garnet (gem) | kg | NA | Marl | t | 284 |
| Graphite | t | | Bihar | | |
| With less than 40% fixed carbon | | 1131 | Limestone | t | |
| With 40% or more fixed carbon but less than 80% fixed carbon | | 3200 | Cement | | 665 |
| 80% fixed carbon | | | Marl | t | 499 |
| With 80% or more fixed carbon | | NA | | | |
| Kyanite | t | | | | |

NA : Not Available

t : Tonne

ASP : Average Sale Price

(P): Provisional and under reference to State Government.

Extract from Monthly Statistics of Mineral Production November 2018 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : November 2018

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|---|------|---------|
| Pyrites | t | NA | Below 25% Mn | | 807 |
| Chhattisgarh | | | Fluorite (graded) | t | |
| Bauxite | t | | Below 30% CaF2 | | NA |
| Non-Metallurgical | | | Limestone | t | |
| Abrasive | | NA | Chemical | | 373 |
| Refractory | | NA | Cement | | 378 |
| Iron Ore (lumps) | t | | Marl | t | 284 |
| Below 55% Fe | | NA | Perlite | t | NA |
| 55% to below 58% Fe | | NA | Himachal Pradesh | | |
| 58% to below 60% Fe | | NA | Limestone | t | |
| 60% to below 62% Fe | | NA | LD | | 417 |
| 62% to below 65% Fe | | 3151 | SMS | | 350 |
| 65% Fe and above | | 4777 | Chemical | | NA |
| Iron Ore (fines) | t | | Cement | | 378 |
| Below 55% Fe | | NA | Marl | t | 278 |
| 55% to below 58% Fe | | NA | Salt (rock) | t | NA |
| 58% to below 60% Fe | | 2045 | Jammu & Kashmir | | |
| 60% to below 62% Fe | | 2498 | Limestone | t | |
| 62% to below 65% Fe | | 3590 | LD | | NA |
| 65% Fe and above | | 3590 | BF | | NA |
| Fluorite (graded) | t | | Cement | | 427 |
| 85% CaF2 and above | | NA | Marl | t | 320 |
| Limestone | t | | Jharkhand | | |
| LD | | NA | Bauxite | t | |
| BF | | 934 | Non-Metallurgical | | |
| Cement | | 378 | Refractory | | 600 |
| Marl | t | 701 | Iron Ore (lumps) | t | |
| Moulding Sand | t | 265 | Below 55% Fe | | NA |
| Goa | | | 55% to below 58% Fe | | 1931 |
| Iron Ore (lumps) | t | | 58% to below 60% Fe | | 3055 |
| Below 55% Fe | | NA | 60% to below 62% Fe | | 5663 |
| 55% to below 58% Fe | | NA | 62% to below 65% Fe | | 5663 |
| 58% to below 60% Fe | | NA | 65% Fe and above | | 5663 |
| 60% to below 62% Fe | | NA | Iron Ore (fines) | t | |
| 62% to below 65% Fe | | NA | Below 55% Fe | | NA |
| 65% Fe and above | | NA | 55% to below 58% Fe | | 738 |
| Iron Ore (fines) | t | | 58% to below 60% Fe | | 1436 |
| Below 55% Fe | | NA | 60% to below 62% Fe | | NA |
| 55% to below 58% Fe | | NA | 62% to below 65% Fe | | NA |
| 58% to below 60% Fe | | NA | 65% Fe and above | | NA |
| 60% to below 62% Fe | | NA | Manganese Ore | t | |
| 62% to below 65% Fe | | NA | Dioxide ore | | NA |
| 65% Fe and above | | NA | Below 25% Mn | | NA |
| Iron Ore Conc. | t | NA | 25% to below 35% Mn | | 9690 |
| Manganese Ore | t | | 35% to below 46% Mn | | 14210 |
| Below 25% Mn | | NA | 46% Mn and above | | NA |
| 25% to below 35% Mn | | NA | Flint Stone | t | NA |
| 35% to below 46% Mn | | NA | Graphite | t | |
| 46% Mn and above | | NA | With less than 40% fixed carbon | | 1131 |
| Limestone | t | | With 40% or more fixed carbon but less than | | NA |
| LD | | NA | 80% fixed carbon | | NA |
| Gujarat | | | With 80% or more fixed carbon | | NA |
| Bauxite | t | | Kyanite | t | |
| Non-Metallurgical | | | Below 40% Al2O3 | | NA |
| Cement | | 600 | 40% Al2O3 and above | | NA |
| Abrasive | | 1629 | Limestone | t | |
| Refractory | | 1185 | BF | | NA |
| Chemical | | NA | Cement | | 378 |
| Manganese Ore | t | | Marl | t | 284 |

NA : Not Available

t : Tonne

ASP : Average Sale Price

(P): Provisional and under reference to State Government.

Extract from Monthly Statistics of Mineral Production November 2018 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : November 2018

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|--------------------------|------|---------|
| Karnataka | | | Below 55% Fe | | 675 |
| Bauxite | t | | 55% to below 58% Fe | | NA |
| Non-Metallurgical | | | 58% to below 60% Fe | | NA |
| Cement | | NA | 60% to below 62% Fe | | NA |
| Chromite | t | | Iron Ore Conc. | t | NA |
| Lumps | | | Manganese Ore | t | |
| Below 40% Cr2O3 | | NA | Dioxide ore | | NA |
| 40% to below 52% Cr2O3 | | NA | Below 25% Mn | | 3129 |
| Fines | | | 25% to below 35% Mn | | 5327 |
| Below 40% Cr2O3 | | NA | 35% to below 46% Mn | | 13757 |
| 40% to below 52% Cr2O3 | | NA | 46% Mn and above | | 22798 |
| Concentrates | | NA | Phosphorite | t | |
| Iron Ore (lumps) | t | | Upto 25% P2O5 | | NA |
| Below 55% Fe | | 1395 | Above 25% to 30% P2O5 | | NA |
| 55% to below 58% Fe | | 2224 | Above 30% P2O5 | | NA |
| 58% to below 60% Fe | | 2809 | Diamond | crt | NA |
| 60% to below 62% Fe | | 3354 | Limestone | t | |
| 62% to below 65% Fe | | 3775 | LD | | NA |
| 65% Fe and above | | 4032 | SMS | | 350 |
| Iron Ore (fines) | t | | Chemical | | 373 |
| Below 55% Fe | | 861 (P) | BF | | 926 |
| 55% to below 58% Fe | | 1588 | Cement | | 378 |
| 58% to below 60% Fe | | 2163 | Marl | t | 695 |
| 60% to below 62% Fe | | 2496 | Maharashtra | | |
| 62% to below 65% Fe | | 3043 | Bauxite | t | |
| 65% Fe and above | | 3043 | Non-Metallurgical | | |
| Iron Ore Conc. | t | NA | Cement | | 270 |
| Manganese Ore | t | | Chromite | t | |
| Below 25% Mn | | 1970 | Lumps | | |
| 25% to below 35% Mn | | 8365 | Below 40% Cr2O3 | | NA |
| 35% to below 46% Mn | | 12140 | Iron Ore (lumps) | t | |
| 46% Mn and above | | NA | Below 55% Fe | | 2280 |
| Kyanite | t | | 55% to below 58% Fe | | NA |
| Below 40% Al2O3 | | NA | 58% to below 60% Fe | | NA |
| 40% Al2O3 and above | | NA | 60% to below 62% Fe | | 2280 |
| Limestone | t | | 62% to below 65% Fe | | NA |
| LD | | NA | Iron Ore (fines) | t | |
| SMS | | NA | Below 55% Fe | | NA |
| BF | | 311 | 55% to below 58% Fe | | NA |
| Cement | | 378 | 58% to below 60% Fe | | 1356 |
| Magnesite | t | 5496 | 60% to below 62% Fe | | NA |
| Marl | t | 284 | 62% to below 65% Fe | | NA |
| Kerala | | | Manganese Ore | t | |
| Sillimanite | t | 12569 | Dioxide ore | | 25502 |
| Limestone | t | | Below 25% Mn | | 2131 |
| Cement | | 828 | 25% to below 35% Mn | | 6217 |
| Marl | t | 621 | 35% to below 46% Mn | | 16125 |
| Madhya Pradesh | | | 46% Mn and above | | 21727 |
| Bauxite | t | | Fluorite (graded) | t | |
| Non-Metallurgical | | | 30% to below 70% CaF2 | | NA |
| Cement | | 716 | 70% to below 85% CaF2 | | NA |
| Refractory | | 3576 | 85% CaF2 and above | | NA |
| Chemical | | 793 | Kyanite | t | |
| Iron Ore (lumps) | t | | Below 40% Al2O3 | | NA |
| Below 55% Fe | | 432 | 40% Al2O3 and above | | 3478 |
| 55% to below 58% Fe | | 432 | Sillimanite | t | 3744 |
| 58% to below 60% Fe | | NA | Limestone | t | |
| 60% to below 62% Fe | | NA | Chemical | | NA |
| Iron Ore (fines) | t | | BF | | NA |

NA : Not Available

t : Tonne

ASP : Average Sale Price

(P): Provisional and under reference to State Government.

Extract from Monthly Statistics of Mineral Production November 2018 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : November 2018

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|---|------|----------|---|------|---------|
| Cement | | 378 | Manganese Ore | t | |
| Marl | t | 284 | 25% to below 35% Mn | | 3000 |
| Meghalaya | | | Phosphorite | t | |
| Sillimanite | t | NA | Upto 25% P2O5 | | 509 |
| Limestone | t | | Above 25% to 30% P2O5 | | 4200 |
| Chemical | | 373 | Above 30% P2O5 | | 5000 |
| Cement | | 378 | Fluorite (graded) | t | |
| Marl | t | 284 | Below 30% CaF2 | | NA |
| Odisha | | | 30% to below 70% CaF2 | | NA |
| Chromite | t | | 70% to below 85% CaF2 | | NA |
| Lumps | | | Garnet (abrasive) | t | NA |
| Below 40% Cr2O3 | | 7055 | Garnet (gem) | kg | NA |
| 40% to below 52% Cr2O3 | | NA | Limestone | t | |
| 52% Cr2O3 and above | | NA | LD | | 417 |
| Fines | | | Chemical | | 373 |
| Below 40% Cr2O3 | | 2444 | Cement | | 378 |
| 40% to below 52% Cr2O3 | | 11786 | Marl | t | 278 |
| 52% Cr2O3 and above | | 14807 | Selenite | t | 2000 |
| Concentrates | | 14660 | Siliceous Earth | t | 642 |
| Iron Ore (lumps) | t | | Vermiculite | t | NA |
| Below 55% Fe | | 1282 (P) | Wollastonite | t | 981 |
| 55% to below 58% Fe | | 2726 (P) | Tamil Nadu | | |
| 58% to below 60% Fe | | 3631 | Bauxite | t | |
| 60% to below 62% Fe | | 3736 | Non-Metallurgical | | |
| 62% to below 65% Fe | | 4732 | Cement | | NA |
| 65% Fe and above | | 6105 | Garnet (abrasive) | t | 16698 |
| Iron Ore (fines) | t | | Graphite | t | |
| Below 55% Fe | | 687 | With less than 40% fixed carbon | | NA |
| 55% to below 58% Fe | | 1037 | With 40% or more fixed carbon but less than | | NA |
| 58% to below 60% Fe | | 1365 | 80% fixed carbon | | |
| 60% to below 62% Fe | | 1541 | With 80% or more fixed carbon | | NA |
| 62% to below 65% Fe | | 2713 | Sillimanite | t | NA |
| 65% Fe and above | | 2713 | Limestone | t | |
| Iron Ore Conc. | t | 2179 | LD | | NA |
| Manganese Ore | t | | Chemical | | NA |
| Dioxide ore | | 29211 | BF | | 403 |
| Below 25% Mn | | 1000 (P) | Cement | | 378 |
| 25% to below 35% Mn | | 8193 | Magnesite | t | 4198 |
| 35% to below 46% Mn | | 19057 | Marl | t | 302 |
| 46% Mn and above | | 26002 | Vermiculite | t | 3310 |
| Garnet (abrasive) | t | 11638 | Telangana | | |
| Graphite | t | | Iron Ore (lumps) | t | |
| With less than 40% fixed carbon | | NA | 55% to below 58% Fe | | NA |
| With 40% or more fixed carbon but less than | | 3200 | Manganese Ore | t | |
| 80% fixed carbon | | | Dioxide ore | | NA |
| With 80% or more fixed carbon | | NA | Below 25% Mn | | 4397 |
| Sillimanite | t | 9890 | 25% to below 35% Mn | | 7212 |
| Limestone | t | | Limestone | t | |
| BF | | 311 | Cement | | 378 |
| Cement | | 382 | Marl | t | 284 |
| Marl | t | 287 | Uttar Pradesh | | |
| Rajasthan | | | Limestone | t | |
| Iron Ore (lumps) | t | | Cement | | 378 |
| Below 55% Fe | | 300 | Marl | t | 284 |
| 55% to below 58% Fe | | NA | Uttarakhand | | |
| 65% Fe and above | | NA | Magnesite | t | 1233 |
| Iron Ore (fines) | t | | West Bengal | | |
| Below 55% Fe | | NA | Apatite | t | NA |
| Iron Ore Conc. | t | NA | Moulding Sand | t | NA |

NA : Not Available

t : Tonne

ASP : Average Sale Price

(P): Provisional and under reference to State Government.