MCDR INSPECTION REPORT

1.0 **GENERAL**

SN	Particulars	Details
1(a)	Name of the Mine	Ishwaria Limestone Mine
1(b)	Name of Inspecting Officer & Designation	Sanjay M. Girhe, Sr. Mining Geologist
1(c)	Accompanying Mines Representatives	Balram Singh, ME, Sh. C.M.Diwedi, Geologist
1(d)	Type of Inspection	Star Ratings
1(e)	Date of Inspection	06.07.2017
2	Total Lease Area (Ha) with breakup of	13.15 Hectare
-	Non-forest and forest land	13:13 1100
3	Minecode	38GUJ08147
4	IBM Registration Number under rule 45 of	437
	MCDR, 1988	
5	Name of the lessee, Address, phone, email	Tata Chemicals Limited
	and fax number	Ranavav Quarries,
		Ranavav,
		Dist- Porbandar
		Gujarat - 360550
6	Village	Ishwaria
7	Taluka/Mandal	Kutiyana
8	District	Porbandar
9	Pincode	362650
10	State	Gujarat
11	Post office	Ishwaria
12	Nearest police station	Kutiyana
13	Nearest Railway station	Ranavav
14	Date of Grant of Mining Lease	03.06.1971
15	Date of Execution	02.12.1971
16	Date of opening of Mine	01.11.2006
17	Date of first Renewal, if applicable and its	12.11.1990
	period & expiry	
18	Date of second Renewal, if applicable and	01.12.2000
	its period & expiry	
19	Date of submission of renewal application if	01.12.2000
	Mining Operations are continuing under	
	deemed extension	
20	Name of the Nominated Owner with	R. Mukundan
	Address, phone, email, fax number and date	Tata Chemicals Limited
	of appointment	Bombay House, 24 Homy Modi Street, Mumbai –
21	Name of the Mine A cent with Address	400001,Maharastra S K Bhakta
21	Name of the Mine Agent with Address, phone, email, fax number and date of	Tata Chemicals Limited
	appointment	Ranavav Quarries,
	appointment	Ranavav Quarries, Ranavav - 360550
		Porbandar, Gujarat
22	Name of the Mines Manager with Address,	Balram singh
	phone, email, fax number and date of	BE Mining & FCC metal(R)
	appointment in mines	date of appointment in mines - 25.10.2013
	Tr	Tata Chemicals Limited
		Ranavav Quarries,
		Ranavav - 360550
		Porbandar, Gujarat
23	Name of the Mining Engineer, Qualification	Balram Singh
	and total experience with Address, phone,	Mining Engineer, BE (Mining) & FCC metal (R),
	email, fax number and date of appointment in	Total Experience 15 years
	mine	date of appointment in mine - 25.10.2013

24	Whether Geologist and Mining Engineer appointed in mines satisfy the rule 42 & carrying out their duties as per rule 43 & 44.	Yes appointed.
25	Date of Approval of Mining Plan/Modified Mining Plan with five-year period and specific	682(23)(605)/96-MCCM(N)UDP, 28.09.1997
	condition in approval letter, if any.	682(23)MS-224/2003MCCM(N)UDP, 28.01.2004
26	Date of Approval of Scheme of	682(23)(MS-536)/09-MCCM(N)UDP, 07.03.2012
	Mining/Modified Scheme of Mining with	682(23)(MS-536)/09-MCCM(N)UDP, , 26.05.2014
	five-year period and specific condition in approval letter, if any.	684(4)(1)/MP-58/2017-GNR, 19.09.2017
27	Mineral(s) granted in lease and proved for	Limestone
21	mining	Limestone
28	Method of Mining (Opencast, Underground)	Opencast
29	Category (Fully Mechanised, Others or Manual)	Mechanised.
30	Captive/Non Captive	Captive

Scientific Mining: Compliance of proposals of approved mining plan/scheme of mining. – ${\bf Exploration}$

SN	Item	Proposals (2016-17)	Actual work	Remarks
1a	Backlog of previous year	NA	NA	NA
1b	Exploration over lease area for Geological axis 1 or 2.	NA	NA	NA
1c	Exploration Agency & Expenditure in lakh Rupees during the year	NA	NA	NA
1d	Balance area to be explored to bring Geological axis in 1 or 2	NA	NA	NA
1e	Balance reserves as on 01.04.2017	0.0020	0.0020	NA
1f	General remarks of inspecting officer on geology, exploration etc.	Entire lase area has been explored as per UNFC Guidelines		

2.0 **Development**

SN	Item	Proposals(2016-17)	Actual work	Remarks
2a	Location of development w.r.t. lease area	E/W 596300 596400 N/S 240100 240090	E/W 596300 596400 N/S 240100 240090	NIL
2b	Separate benches in topsoil, overburden and mineral (Rule 15)	NA	NA	NIL
2c	Stripping ratio or ore to OB ratio	NA	NA	NIL
2d	Quantity of topsoil generation in m3	NA	NA	NIL
2e	Quantity of overburden generation in m3	NA	NA	NIL
2f	General remarks of inspecting officer on development of pit w.r.t. type of deposit etc.	Nil		

3.0 **Exploitation**

SN	Item	Proposals (2016-17)	Actual work	Remarks
3a	Number of pits proposed for production	One	One	NIL
3b	Quantity of ROM mineral production proposed	89820	89810	NIL
3c	Recovery of salable/usable mineral from ROM production	90%	90%	NIL
3d	Quantity of mineral reject generation	0	0	NIL
3e	Grade of mineral reject generation and threshold value declared	0	0	NIL
3f	Quantity of sub-grade mineral generation	44910	40414	NIL
3g	Grade of sub-grade mineral generation	-50 mm fines	-50mm fines	NIL
3h	Manual / Mechanised method adopted for segregating from ROM	Mechanised	Mechanised	NIL
3i	Any analysis or beneficiation study proposed & carried out for sub-grade mineral and reject	NA	NA	NIL
3j	Provision of drilling & blasting in mineral benches	Yes	Yes	NIL
3k	Provision of mining machineries in mineral benches	Yes	Yes	NIL
31	Whether height of benches in overburden and mineral suitable for method of mining proposed in MP/SOM	3M	3M	NIL
3m	Total area covered under excavation/pits	9.7562	9.7562	NIL
3n	Ore to OB ratio for the pit/mine during the year	NA	NA	NIL
30	Total area put in use under different heads at the end of year	Pit- 9.7562 Waste/reject Others- 3.3938	Pit- 9.7562 Waste/reject Others- 3.3938	NIL
3p	Production of ROM mineral during last five-year period, as applicable	Yr- 2012-13 Yr- 2013-14 Yr- 2014-15 Yr- 2015-16 Yr- 2016-17	34801 97600 89561 89361 89810	NIL
3q	General remarks of inspecting officer on method of mining etc.	Mechanised open cast w	orking	1

4.0 Solid Waste Management-Dumping

SN	Item	Proposals (2016-17)	Actual work	Remarks
4a	Separate dumping of topsoil, OB & mineral reject (Rule 32, 33)	NA, No mines waste, concurrent use of top soil for plantation	NA, No mines waste, concurrent use of top soil for plantation	
4b	Location of topsoil, OB & mineral reject dumps	NA	NA	NIL
4c	Number of dumps within lease	1	1	Dump of -50mm

	area and outside lease area			fines
4d	Location of dumps w.r.t. ultimate pit limit (Rule 16)	NA	NA	NIL
4e	Number of active & alive dumps	One	One	nil
4f	Number of dead dumps	NA	NA	NIL
4g	Number of dumps stabilished	One	one	nil
4h	Whether Retaining wall or garland drain all along dumps are there	Yes	300 Mtr Garland drains done. & 180m x 80m x 1m (1 X W x D) retaining wall also done.	nil
4i	Length of Retaining wall or garland drain all along dump	180m x 80m x 1m (L x W x D) retaining wall 300 Mtr Garland drains	180m x 80m x 1m (L x W x D) retaining wall 300 Mtr Garland drains done.	nil
4j	Number of settling ponds	0	0	0
4k	Specific comments of inspecting officer	Dump of -50 mm fines is maintained for its future use in Cement manufacturing		

5.0 Solid Waste Management-Backfilling

SN	Item	Proposals (2016-17)	Actual work	Remarks
5a	Status on part or full extraction	NA	NA	NA
	of mineral from mined out area			
	before starting backfilling			
5b	Area under backfilling of mined	NA	NA	NA
	out area			
5c	Concurrent use of topsoil for	NA	NA	NA
	restoration or rehabilitation of			
	mined out area (Rule 32)			
5d	Total area fully reclaimed &	NA	NA	NA
	rehabilitated			
5e	General remarks of inspecting	NA	NA	NA
	officer on backfilling,			
	reclamation etc			

6.0 Progressive Mine Closure Plan

SN	Item	Proposals (2016-17)	Actual work	Remarks
6a	Whether Annual report on PMCP submitted on time and correctly - Rule 23E(2). Details should be given in the format as given in Annexure-20.	Yes Submitted	Yes Submitted on 3 rd July 2017	nil
6b	Management of worked/mined out benches i) Area available for rehabilitation (ha) ii) Afforestation done (ha) iii) No. of saplings planted during the year iv) Cumulative no. of plants v) Any other specific method	0.20 Hect. 0.20 200 400	0.20 Hect. 0.20 350 400	nil

	of rehabilitation vi) Cost incurred on watch &	Nil	Nil	
	care during the year	122000	164320	
6c	Compliance on reclamation and rehabilitation by backfilling i) Voids available for backfilling (L X B X D) ii) Void filled by waste/tailings iii) Afforestation on the backfilled area iv) Rehabilitation by making water reservoir v) Any other specific means	NA	NA	
6d	Compliance of Rehabilitation of waste land within lease i) Afforestation ii) Area rehabilitated (ha) iii) Methof of rehabilitation	NA	NA	nil
бе	Compliance of Environmental monitoring (core zone & buffer zone)	Core Zone with in limit – Ambient Air Quality, Surface water Quality, Ground water quality, Noise level, Noise vibration are with in limit	Core Zone with in limit – Ambient Air Quality, Surface water Quality, Ground water quality, Noise level, Noise vibration are with in limit	nil
6f	General remarks of inspecting officer on PMCP compliance & progressive	Nil		

7.0 Mineral Conservation

SN	Item	Proposals (2016-17)	Actual work	Remarks
7a	ROM Mineral dispatch or grade-wise sorting within lease area	89820	89810	NIL
7b	Method of grade-wise mineral sorting i.e. manual or mechanical	Mechanical	Mechanical	NIL
7c	Different grade of mineral sorted out at mines	Chemical Grade – 44910 +50 mm to – 100MM) Cement Grade – 44910 - 50mm fines	Chemical Grade – 49396 +50 mm to – 100MM) Cement Grade – 40414 - 50mm fines	NIL
7d	Any beneficiation process at mines	Crushing and screening	Crushing and screening	NIL
7e	General remarks of inspecting officer on Mineral conservation & beneficiation issues	In order as per plan	In order as per plan	

7.0 Environment

SN	Item	Proposals (2016-17)	Actual work	Remarks
8a	Separate removal and utilization of topsoil (Rule 32)	yes	Concurrent use for plantation	NIL
8b	Concurrent use or storage of topsoil	Yes	Yes	NIL
8c	Separate dumps for overburden, waste rock, rejects and fines (Rule 33)	Yes	Yes	NIL
8d	Use of overburden, waste rock, rejects and fines dumps for restoring the land to its original use	NA	NA	NIL
8e	Phased restoration, reclamation and rehabilitation of lands affected by mining operations (Pits, dumps etc)	Yes and per PMCP	Yes and per PMCP	NIL
8f	Baseline information on existence of plantation & additional plantation done (Rule 41)	As per PMCP	400 plantation	NIL
8g	Survival rate	80%	80%	NIL
8h	Water sprinkling on roads to control airborne dust	yes	Yes	NIL
8i	General remarks of inspecting officer on aesthetic beauty in and around mines are	Environment control parameter	ers are under control	

9.0 Compliance of Rule 45

S. N.	Item	COMMENTS	Remarks
	Status of submission of Online Monthly and Annual	M.R. Submitted up to till date -10.10.2017 A.R. submitted up to till date- 30.6.2017	NIL
	returns		

S.	Item	Details GIVEN in	Observation of	Remarks
N.		A.R.(2016-17)	I/Officer /Actual reported in Returns	
9b	Scrutiny of Annual return for information on Mining Engineer, Geologist and Manager	Yes	NIL	NIL
9c	Scrutiny of Annual return on land use pattern for area under pits, reclaimed area, dumps etc.	Yes	NIL	NIL
9d	Scrutiny of Annual return on afforestation	Yes	NIL	NIL
9e	Scrutiny of Annual return on mineral reject generation (Grade & quantity)	Yes	NIL	NIL
9f	Scrutiny of Annual return	NIL	NIL	NIL

	on ROM stock and/or graded ore			
9g	Scrutiny of Annual return on sale value, Ex. Mine price & production cost	NIL	NIL	NIL
9i	Scrutiny of Annual return on fixed assets	NIL	NIL	NIL
9k	Scrutiny of Annual return on mining machineries	Yes	NIL	NIL

- 10- Details of violations observed during current inspection and compliance position of earlier violation pointed out:-
 - 1. Date of Last Inspection 6.2.2016, Violation date-13.04.2016, rule violated- 13(1), 27(4), 29, 42(1)(c), 45(5)(b), Compliance status- complied vide reply letter no. RQG/114/2016 Date- 22.05.2016
 - 2. Current inspection was carried out on dtd 06.07.2017 for evaluation of Start Ratings Template. During inspection, it was noticed that, the mining operations were not going on due to exhaust of mineral in the lease area and only one centralised crusher was being operated within mining lease. Hence, no violations were pointed out during the current inspection.
