

Extract from Monthly Statistics of Mineral Production April 2020 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : April 2020

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|---|------|-----------|--|------|---------|
| India | | | Graphite | t | |
| Bauxite | t | | With less than 40% fixed carbon | | 975 |
| Non-Metallurgical | | | With 40% or more fixed carbon but less than | | NA |
| Cement | | 677 | 80% fixed carbon | | |
| Abrasive | | NA | With 80% or more fixed carbon | | NA |
| Refractory | | 2261 | Kyanite | t | |
| Chemical | | NA | Below 40% Al ₂ O ₃ | | NA |
| Chromite | t | | 40% Al ₂ O ₃ and above | | NA |
| Lumps | | | Sillimanite* | t | NA |
| Below 40% Cr ₂ O ₃ | | NA | Limestone | t | |
| 40% to below 52% Cr ₂ O ₃ | | NA | LD | | 471 |
| 52% Cr ₂ O ₃ and above | | NA | SMS | | 304 |
| Fines | | | Chemical | | 411 |
| Below 40% Cr ₂ O ₃ | | NA | BF | | 1161 |
| 40% to below 52% Cr ₂ O ₃ | | 9049 | Cement | | 305 |
| 52% Cr ₂ O ₃ and above | | 10694 (P) | Magnesite | t | NA |
| Concentrates | | 12564 | Marl | t | 314 |
| Iron Ore (lumps) | t | | Moulding Sand | t | 291 |
| Below 55% Fe | | 309 (P) | Perlite | t | NA |
| 55% to below 58% Fe | | NA (P) | Pyrites | t | NA |
| 58% to below 60% Fe | | 3032 (P) | Salt (rock) | t | NA |
| 60% to below 62% Fe | | 3032 (P) | Selenite | t | NA |
| 62% to below 65% Fe | | 3283 (P) | Siliceous Earth | t | NA |
| 65% Fe and above | | 4497 (P) | Vermiculite | t | NA |
| Iron Ore (fines) | t | | Wollastonite | t | 930 |
| Below 55% Fe | | 784 (P) | Andhra Pradesh | | |
| 55% to below 58% Fe | | 1450 (P) | Iron Ore (lumps) | t | |
| 58% to below 60% Fe | | 1781 (P) | Below 55% Fe | | 820 |
| 60% to below 62% Fe | | 1781 (P) | 55% to below 58% Fe | | NA |
| 62% to below 65% Fe | | 2467 (P) | 62% to below 65% Fe | | NA |
| 65% Fe and above | | 3243 | Iron Ore (fines) | t | |
| Iron Ore Conc. | t | NA | Below 55% Fe | | NA |
| Manganese Ore | t | | Manganese Ore | t | |
| Dioxide ore | | NA | Below 25% Mn | | 3116 |
| Below 25% Mn | | 3042 | 25% to below 35% Mn | | 5383 |
| 25% to below 35% Mn | | 5539 | 35% to below 46% Mn | | 8312 |
| 35% to below 46% Mn | | 11771 | 46% Mn and above | | 16375 |
| 46% Mn and above | | 16375 | Apatite | t | NA |
| Apatite | t | NA | Asbestos | t | |
| Phosphorite | t | | Amphibole | | NA |
| Upto 25% P ₂ O ₅ | | 2175 (P) | Garnet (abrasive)* | t | NA |
| Above 25% to 30% P ₂ O ₅ | | NA | Sillimanite* | t | NA |
| Above 30% P ₂ O ₅ | | NA | Limestone | t | |
| Asbestos | t | | LD | | NA |
| Amphibole | | NA | SMS | | NA |
| Diamond | crt | | Chemical | | NA |
| Gem Variety | | | BF | | 1227 |
| Rough and Uncut stones | | NA | Cement | | 299 |
| Cut and Polished stones | | NA | Marl | t | NA |
| Industrial | | NA | Vermiculite | t | NA |
| Others | | NA | Assam | | |
| Flint Stone | t | NA | Limestone | t | |
| Fluorite (graded) | t | | Cement | | 1263 |
| Below 30% CaF ₂ | | NA | Marl | t | NA |
| 30% to below 70% CaF ₂ | | NA | Bihar | | |
| 70% to below 85% CaF ₂ | | NA | Limestone | t | |
| 85% CaF ₂ and above | | NA | Cement | | 299 |
| Garnet (abrasive)* | t | NA | Marl | t | NA |
| Garnet (gem)* | kg | NA | Pyrites | t | NA |

NA : Not Available

t : Tonne

* : Other than BSM

(P) : Provisional.

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production April 2020 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : April 2020

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|---|------|----------|
| Chhattisgarh | | | Salt (rock) | t | NA |
| Iron Ore (lumps) | t | | Jammu & Kashmir | | |
| 55% to below 58% Fe | | NA | Limestone | t | |
| 58% to below 60% Fe | | NA | LD | | NA |
| 60% to below 62% Fe | | NA | BF | | NA |
| 62% to below 65% Fe | | NA | Cement | | NA |
| 65% Fe and above | | 4479 | Marl | t | NA |
| Iron Ore (fines) | t | | Jharkhand | | |
| Below 55% Fe | | NA | Bauxite | t | |
| 55% to below 58% Fe | | 1747 | Non-Metallurgical | | |
| 58% to below 60% Fe | | 2057 | Cement | | NA |
| 60% to below 62% Fe | | 2539 | Abrasive | | NA |
| 62% to below 65% Fe | | 2934 | Refractory | | NA |
| 65% Fe and above | | 3243 | Iron Ore (lumps) | t | |
| Limestone | t | | Below 55% Fe | | NA |
| LD | | NA | 55% to below 58% Fe | | NA |
| BF | | 1129 | 58% to below 60% Fe | | NA |
| Cement | | 299 | 60% to below 62% Fe | | NA |
| Marl | t | NA | 62% to below 65% Fe | | NA |
| Moulding Sand | t | 291 | 65% Fe and above | | NA |
| Goa | | | Iron Ore (fines) | t | |
| Iron Ore (lumps) | t | | Below 55% Fe | | NA |
| Below 55% Fe | | NA | 55% to below 58% Fe | | NA |
| 55% to below 58% Fe | | NA | 58% to below 60% Fe | | NA |
| 58% to below 60% Fe | | NA | 60% to below 62% Fe | | NA |
| 60% to below 62% Fe | | NA | 62% to below 65% Fe | | NA |
| 62% to below 65% Fe | | NA | Manganese Ore | t | |
| 65% Fe and above | | NA | Dioxide ore | | NA |
| Iron Ore (fines) | t | | Below 25% Mn | | NA |
| Below 55% Fe | | NA | 25% to below 35% Mn | | NA |
| 55% to below 58% Fe | | NA | 35% to below 46% Mn | | NA |
| 58% to below 60% Fe | | NA | 46% Mn and above | | NA |
| 60% to below 62% Fe | | NA | Flint Stone | t | NA |
| 62% to below 65% Fe | | NA | Graphite | t | |
| Iron Ore Conc. | t | NA | With less than 40% fixed carbon | | NA |
| Limestone | t | | With 40% or more fixed carbon but less than | | NA |
| LD | | NA | 80% fixed carbon | | |
| Gujarat | | | With 80% or more fixed carbon | | NA |
| Bauxite | t | | Limestone | t | |
| Non-Metallurgical | | | BF | | NA |
| Cement | | 696 | Cement | | NA |
| Abrasive | | NA | Marl | t | NA |
| Refractory | | 2261 | Karnataka | | |
| Chemical | | NA | Chromite | t | |
| Manganese Ore | t | | Lumps | | |
| Below 25% Mn | | NA | Below 40% Cr2O3 | | NA |
| Fluorite (graded) | t | | Iron Ore (lumps) | t | |
| Below 30% CaF2 | | NA | Below 55% Fe | | NA |
| Limestone | t | | 55% to below 58% Fe | | NA (P) |
| Chemical | | 411 | 58% to below 60% Fe | | 3029 (P) |
| Cement | | 299 | 60% to below 62% Fe | | 3087 (P) |
| Marl | t | 308 | 62% to below 65% Fe | | 3253 (P) |
| Perlite | t | NA | 65% Fe and above | | NA |
| Himachal Pradesh | | | Iron Ore (fines) | t | |
| Limestone | t | | Below 55% Fe | | NA |
| LD | | NA | 55% to below 58% Fe | | 1636 (P) |
| SMS | | NA | 58% to below 60% Fe | | 1833 (P) |
| Chemical | | NA | 60% to below 62% Fe | | 2202 (P) |
| Cement | | 831 | 62% to below 65% Fe | | 2611 (P) |
| Marl | t | NA | | | |

NA : Not Available

t : Tonne

* : Other than BSM

(P) : Provisional.

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production April 2020 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : April 2020

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|--------------------------|------|-----------|
| 65% Fe and above | | NA | Maharashtra | | |
| Manganese Ore | t | | Bauxite | t | |
| Below 25% Mn | | NA | Non-Metallurgical | | |
| 25% to below 35% Mn | | 6903 | Cement | | NA |
| 35% to below 46% Mn | | NA | Iron Ore (lumps) | t | |
| 46% Mn and above | | NA | Below 55% Fe | | NA |
| Kyanite | t | | 55% to below 58% Fe | | NA |
| Below 40% Al2O3 | | NA | 58% to below 60% Fe | | NA |
| Limestone | t | | 60% to below 62% Fe | | NA |
| LD | | NA | 62% to below 65% Fe | | NA |
| SMS | | NA | Iron Ore (fines) | t | |
| BF | | 370 (P) | Below 55% Fe | | 445 |
| Cement | | 299 | 55% to below 58% Fe | | NA |
| Magnesite | t | NA | 58% to below 60% Fe | | 1645 (P) |
| Marl | t | NA | Manganese Ore | t | |
| Kerala | | | Dioxide ore | | NA |
| Sillimanite* | t | NA | Below 25% Mn | | 2663 |
| Limestone | t | | 25% to below 35% Mn | | 5209 |
| Cement | | 932 | 35% to below 46% Mn | | 12221 |
| Marl | t | NA | 46% Mn and above | | 15098 |
| Madhya Pradesh | | | Fluorite (graded) | t | |
| Bauxite | t | | 30% to below 70% CaF2 | | NA |
| Non-Metallurgical | | | 70% to below 85% CaF2 | | NA |
| Cement | | 596 | 85% CaF2 and above | | NA |
| Refractory | | NA | Kyanite | t | |
| Chemical | | NA | Below 40% Al2O3 | | NA |
| Iron Ore (lumps) | t | | 40% Al2O3 and above | | NA |
| Below 55% Fe | | 269 (P) | Sillimanite* | t | NA |
| 55% to below 58% Fe | | NA | Limestone | t | |
| 58% to below 60% Fe | | NA | Chemical | | NA |
| 60% to below 62% Fe | | NA | BF | | NA |
| Iron Ore (fines) | t | | Cement | | 619 |
| Below 55% Fe | | 250 (P) | Marl | t | NA |
| 55% to below 58% Fe | | NA | Meghalaya | | |
| 58% to below 60% Fe | | NA | Sillimanite* | t | NA |
| 60% to below 62% Fe | | NA | Limestone | t | |
| Iron Ore Conc. | t | NA | Chemical | | NA |
| Manganese Ore | t | | Cement | | 334 |
| Below 25% Mn | | 2790 | Marl | t | NA |
| 25% to below 35% Mn | | 4271 | Odisha | | |
| 35% to below 46% Mn | | 10787 | Chromite | t | |
| 46% Mn and above | | 16574 | Lumps | | |
| Phosphorite | t | | Below 40% Cr2O3 | | NA |
| Upto 25% P2O5 | | NA | 40% to below 52% Cr2O3 | | NA |
| Above 25% to 30% P2O5 | | NA | 52% Cr2O3 and above | | NA |
| Above 30% P2O5 | | NA | Fines | | |
| Diamond | crt | | Below 40% Cr2O3 | | NA |
| Gem Variety | | | 40% to below 52% Cr2O3 | | 9049 |
| Rough and Uncut stones | | NA | 52% Cr2O3 and above | | 10694 (P) |
| Cut and Polished stones | | NA | Concentrates | | 12564 |
| Industrial | | NA | Iron Ore (lumps) | t | |
| Others | | NA | Below 55% Fe | | NA |
| Limestone | t | | 55% to below 58% Fe | | NA |
| LD | | NA | 58% to below 60% Fe | | 3098 (P) |
| SMS | | 304 | 60% to below 62% Fe | | 3098 (P) |
| Chemical | | 389 | 62% to below 65% Fe | | 3286 (P) |
| BF | | 370 (P) | 65% Fe and above | | 4786 (P) |
| Cement | | 299 | Iron Ore (fines) | t | |
| Marl | t | NA | Below 55% Fe | | 894 (P) |

NA : Not Available

t : Tonne

* : Other than BSM

(P) : Provisional.

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production April 2020 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : April 2020

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|---|------|----------|--------------------------|------|---------|
| 55% to below 58% Fe | | 1418 (P) | LD | | NA |
| 58% to below 60% Fe | | 1536 (P) | Chemical | | NA |
| 60% to below 62% Fe | | 1536 (P) | BF | | NA |
| 62% to below 65% Fe | | 1995 (P) | Cement | | 326 |
| 65% Fe and above | | NA | Magnesite | t | NA |
| Iron Ore Conc. | t | NA | Marl | t | 245 |
| Manganese Ore | t | | Vermiculite | t | NA |
| Dioxide ore | | NA | Telangana | | |
| Below 25% Mn | | NA | Iron Ore (lumps) | t | |
| 25% to below 35% Mn | | NA | 55% to below 58% Fe | | NA |
| 35% to below 46% Mn | | NA | Manganese Ore | t | |
| 46% Mn and above | | NA | Dioxide ore | | NA |
| Garnet (abrasive)* | t | NA | Below 25% Mn | | NA |
| Graphite | t | | 25% to below 35% Mn | | NA |
| With less than 40% fixed carbon | | 975 | Limestone | t | |
| With 40% or more fixed carbon but less than | | NA | Cement | | NA |
| 80% fixed carbon | | | Marl | t | NA |
| With 80% or more fixed carbon | | NA | Uttar Pradesh | | |
| Sillimanite* | t | NA | Limestone | t | |
| Limestone | t | | Cement | | 299 |
| BF | | NA | Marl | t | NA |
| Cement | | 542 | Uttarakhand | | |
| Marl | t | NA | Magnesite | t | NA |
| Rajasthan | | | West Bengal | | |
| Iron Ore (lumps) | t | | Apatite | t | NA |
| Below 55% Fe | | NA | Moulding Sand | t | NA |
| 55% to below 58% Fe | | NA | | | |
| 65% Fe and above | | NA | | | |
| Iron Ore Conc. | t | NA | | | |
| Manganese Ore | t | | | | |
| 25% to below 35% Mn | | NA | | | |
| Phosphorite | t | | | | |
| Upto 25% P2O5 | | 2175 (P) | | | |
| Above 25% to 30% P2O5 | | NA | | | |
| Above 30% P2O5 | | NA | | | |
| Fluorite (graded) | t | | | | |
| Below 30% CaF2 | | NA | | | |
| 30% to below 70% CaF2 | | NA | | | |
| 70% to below 85% CaF2 | | NA | | | |
| Garnet (abrasive)* | t | NA | | | |
| Garnet (gem)* | kg | NA | | | |
| Limestone | t | | | | |
| LD | | 471 | | | |
| Chemical | | NA | | | |
| Cement | | 299 | | | |
| Marl | t | NA | | | |
| Selenite | t | NA | | | |
| Siliceous Earth | t | NA | | | |
| Vermiculite | t | NA | | | |
| Wollastonite | t | 930 | | | |
| Tamil Nadu | | | | | |
| Garnet (abrasive)* | t | NA | | | |
| Graphite | t | | | | |
| With less than 40% fixed carbon | | NA | | | |
| With 40% or more fixed carbon but less than | | NA | | | |
| 80% fixed carbon | | | | | |
| With 80% or more fixed carbon | | NA | | | |
| Sillimanite* | t | NA | | | |
| Limestone | t | | | | |

NA : Not Available

t : Tonne

* : Other than BSM

(P) : Provisional.

ASP : Average Sale Price