

Extract from Monthly Statistics of Mineral Production June 2018 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : June 2018

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--|------|---------|--|------|---------|
| India | | | Below 40% Al ₂ O ₃ | | NA |
| Bauxite | t | | 40% Al ₂ O ₃ and above | | 3284 |
| Non-Metallurgical | | | Sillimanite | t | 7101 |
| Cement | | 515 | Limestone | t | |
| Abrasive | | 1650 | LD | | 425 |
| Refractory | | 1181 | SMS | | 311 |
| Chemical | | 828 | Chemical | | 470 |
| Chromite | t | | BF | | 1047 |
| Lumps | | | Cement | | 375 |
| Below 40% Cr ₂ O ₃ | | 6350 | Magnesite | t | 3569 |
| 40% to below 52% Cr ₂ O ₃ | | 9323 | Marl | t | 283 |
| 52% Cr ₂ O ₃ and above | | NA | Moulding Sand | t | 280 |
| Fines | | | Perlite | t | NA |
| Below 40% Cr ₂ O ₃ | | 2249 | Pyrites | t | NA |
| 40% to below 52% Cr ₂ O ₃ | | 10406 | Salt (rock) | t | NA |
| 52% Cr ₂ O ₃ and above | | 13824 | Selenite | t | 2000 |
| Concentrates | | 10593 | Siliceous Earth | t | 699 |
| Iron Ore (lumps) | t | | Vermiculite | t | 813 |
| Below 55% Fe | | 1053 | Wollastonite | t | 863 |
| 55% to below 58% Fe | | 1933 | Andhra Pradesh | | |
| 58% to below 60% Fe | | 2660 | Iron Ore (lumps) | t | |
| 60% to below 62% Fe | | 3097 | Below 55% Fe | | 759 |
| 62% to below 65% Fe | | 3979 | 55% to below 58% Fe | | NA |
| 65% Fe and above | | 4307 | 58% to below 60% Fe | | NA |
| Iron Ore (fines) | t | | 60% to below 62% Fe | | NA |
| Below 55% Fe | | 580 | 62% to below 65% Fe | | NA |
| 55% to below 58% Fe | | 1134 | Iron Ore (fines) | t | |
| 58% to below 60% Fe | | 1676 | Below 55% Fe | | 471 |
| 60% to below 62% Fe | | 1676 | 55% to below 58% Fe | | NA |
| 62% to below 65% Fe | | 2235 | 60% to below 62% Fe | | NA |
| 65% Fe and above | | 2946 | 62% to below 65% Fe | | NA |
| Iron Ore Conc. | t | 2100 | Manganese Ore | t | |
| Manganese Ore | t | | Dioxide ore | | NA |
| Dioxide ore | | 32658 | Below 25% Mn | | 3601 |
| Below 25% Mn | | 2657 | 25% to below 35% Mn | | 4894 |
| 25% to below 35% Mn | | 5675 | 35% to below 46% Mn | | 10253 |
| 35% to below 46% Mn | | 12712 | 46% Mn and above | | NA |
| 46% Mn and above | | 18046 | Apatite | t | NA |
| Apatite | t | NA | Asbestos | t | |
| Phosphorite | t | | Amphibole | | NA |
| Upto 25% P ₂ O ₅ | | 516 | Garnet (abrasive) | t | 13705 |
| Above 25% to 30% P ₂ O ₅ | | 3658 | Sillimanite | t | 9082 |
| Above 30% P ₂ O ₅ | | 4700 | Limestone | t | |
| Asbestos | t | | LD | | 425 |
| Amphibole | | NA | SMS | | 311 |
| Diamond | crt | NA | Chemical | | 373 |
| Flint Stone | t | NA | BF | | 903 |
| Fluorite (graded) | t | | Cement | | 375 |
| Below 30% CaF ₂ | | NA | Marl | t | 283 |
| 30% to below 70% CaF ₂ | | 8559 | Vermiculite | t | 550 |
| 70% to below 85% CaF ₂ | | 9250 | Assam | | |
| 85% CaF ₂ and above | | NA | Limestone | t | |
| Garnet (abrasive) | t | 12510 | Cement | | 390 |
| Garnet (gem) | kg | NA | Marl | t | 293 |
| Graphite | t | | Bihar | | |
| With less than 40% fixed carbon | | 975 | Limestone | t | |
| With 40% or more fixed carbon but less than 80% fixed carbon | | NA | Cement | | NA |
| 80% fixed carbon | | NA | Marl | t | NA |
| With 80% or more fixed carbon | | NA | | | |
| Kyanite | t | | | | |

NA : Not Available

t : Tonne

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production June 2018 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : June 2018

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|---|------|---------|
| Pyrites | t | NA | Below 25% Mn | | 822 |
| Chhattisgarh | | | Fluorite (graded) | t | |
| Bauxite | t | | Below 30% CaF2 | | NA |
| Non-Metallurgical | | | Limestone | t | |
| Abrasive | | NA | Chemical | | 470 |
| Refractory | | NA | Cement | | 375 |
| Iron Ore (lumps) | t | | Marl | t | 353 |
| Below 55% Fe | | NA | Perlite | t | NA |
| 55% to below 58% Fe | | NA | Himachal Pradesh | | |
| 58% to below 60% Fe | | NA | Limestone | t | |
| 60% to below 62% Fe | | NA | LD | | 425 |
| 62% to below 65% Fe | | 3177 | SMS | | 311 |
| 65% Fe and above | | 4072 | Chemical | | NA |
| Iron Ore (fines) | t | | Cement | | 375 |
| Below 55% Fe | | NA | Marl | t | 283 |
| 55% to below 58% Fe | | NA | Salt (rock) | t | NA |
| 58% to below 60% Fe | | 1038 | Jammu & Kashmir | | |
| 60% to below 62% Fe | | 2331 | Limestone | t | |
| 62% to below 65% Fe | | 3202 | LD | | NA |
| 65% Fe and above | | 3202 | BF | | NA |
| Fluorite (graded) | t | | Cement | | 375 |
| 85% CaF2 and above | | NA | Marl | t | 281 |
| Limestone | t | | Jharkhand | | |
| LD | | NA | Bauxite | t | |
| BF | | 936 | Non-Metallurgical | | |
| Cement | | 375 | Cement | | NA |
| Marl | t | 702 | Refractory | | 600 |
| Moulding Sand | t | 280 | Iron Ore (lumps) | t | |
| Goa | | | Below 55% Fe | | 1500 |
| Bauxite | t | | 55% to below 58% Fe | | 1777 |
| Non-Metallurgical | | | 58% to below 60% Fe | | 2789 |
| Cement | | NA | 60% to below 62% Fe | | 2914 |
| Iron Ore (lumps) | t | | 62% to below 65% Fe | | 5486 |
| Below 55% Fe | | NA | 65% Fe and above | | 5486 |
| 55% to below 58% Fe | | NA | Iron Ore (fines) | t | |
| 58% to below 60% Fe | | NA | Below 55% Fe | | NA |
| 60% to below 62% Fe | | NA | 55% to below 58% Fe | | NA |
| 62% to below 65% Fe | | NA | 58% to below 60% Fe | | 1200 |
| 65% Fe and above | | NA | 60% to below 62% Fe | | 1200 |
| Iron Ore (fines) | t | | 62% to below 65% Fe | | NA |
| Below 55% Fe | | NA | 65% Fe and above | | NA |
| 55% to below 58% Fe | | NA | Manganese Ore | t | |
| 58% to below 60% Fe | | NA | Dioxide ore | | NA |
| 60% to below 62% Fe | | NA | Below 25% Mn | | NA |
| 62% to below 65% Fe | | NA | 25% to below 35% Mn | | NA |
| 65% Fe and above | | NA | 35% to below 46% Mn | | 14210 |
| Iron Ore Conc. | t | NA | 46% Mn and above | | NA |
| Manganese Ore | t | | Flint Stone | t | NA |
| Below 25% Mn | | NA | Graphite | t | |
| 25% to below 35% Mn | | NA | With less than 40% fixed carbon | | 975 |
| 35% to below 46% Mn | | NA | With 40% or more fixed carbon but less than | | NA |
| 46% Mn and above | | NA | 80% fixed carbon | | NA |
| Gujarat | | | With 80% or more fixed carbon | | NA |
| Bauxite | t | | Kyanite | t | |
| Non-Metallurgical | | | Below 40% Al2O3 | | NA |
| Cement | | 475 | 40% Al2O3 and above | | NA |
| Abrasive | | 1650 | Limestone | t | |
| Refractory | | 634 | Cement | | 544 |
| Chemical | | NA | Marl | t | 408 |
| Manganese Ore | t | | | | |

NA : Not Available

t : Tonne

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production June 2018 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : June 2018

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|--------------------------|------|---------|
| Karnataka | | | Below 55% Fe | | 419 |
| Bauxite | t | | 55% to below 58% Fe | | NA |
| Non-Metallurgical | | | 58% to below 60% Fe | | NA |
| Cement | | NA | 60% to below 62% Fe | | NA |
| Chromite | t | | Iron Ore Conc. | t | NA |
| Lumps | | | Manganese Ore | t | |
| Below 40% Cr2O3 | | NA | Dioxide ore | | NA |
| 40% to below 52% Cr2O3 | | NA | Below 25% Mn | | 2051 |
| Fines | | | 25% to below 35% Mn | | 4802 |
| Below 40% Cr2O3 | | NA | 35% to below 46% Mn | | 12052 |
| 40% to below 52% Cr2O3 | | NA | 46% Mn and above | | 18035 |
| Concentrates | | NA | Phosphorite | t | |
| Iron Ore (lumps) | t | | Upto 25% P2O5 | | 848 |
| Below 55% Fe | | 1661 | Above 25% to 30% P2O5 | | NA |
| 55% to below 58% Fe | | 2266 | Above 30% P2O5 | | NA |
| 58% to below 60% Fe | | 2630 | Diamond | crt | NA |
| 60% to below 62% Fe | | 2894 | Limestone | t | |
| 62% to below 65% Fe | | 3596 | LD | | 425 |
| 65% Fe and above | | 3903 | SMS | | 311 |
| Iron Ore (fines) | t | | Chemical | | 373 |
| Below 55% Fe | | 1070 | BF | | 1125 |
| 55% to below 58% Fe | | 1479 | Cement | | 375 |
| 58% to below 60% Fe | | 1777 | Marl | t | 283 |
| 60% to below 62% Fe | | 2462 | Maharashtra | | |
| 62% to below 65% Fe | | 3161 | Bauxite | t | |
| 65% Fe and above | | 3177 | Non-Metallurgical | | |
| Iron Ore Conc. | t | NA | Cement | | 254 |
| Manganese Ore | t | | Chromite | t | |
| Below 25% Mn | | 1315 | Lumps | | |
| 25% to below 35% Mn | | 6814 | Below 40% Cr2O3 | | NA |
| 35% to below 46% Mn | | 7484 | Iron Ore (lumps) | t | |
| 46% Mn and above | | NA | Below 55% Fe | | 750 |
| Kyanite | t | | 55% to below 58% Fe | | 2014 |
| Below 40% Al2O3 | | NA | 58% to below 60% Fe | | NA |
| 40% Al2O3 and above | | NA | 60% to below 62% Fe | | NA |
| Limestone | t | | 62% to below 65% Fe | | NA |
| LD | | NA | Iron Ore (fines) | t | |
| SMS | | NA | Below 55% Fe | | 598 |
| BF | | 338 | 55% to below 58% Fe | | NA |
| Cement | | 375 | 58% to below 60% Fe | | NA |
| Magnesite | t | 7032 | 60% to below 62% Fe | | NA |
| Marl | t | 281 | 62% to below 65% Fe | | NA |
| Kerala | | | Manganese Ore | t | |
| Sillimanite | t | 9137 | Dioxide ore | | 32794 |
| Limestone | t | | Below 25% Mn | | 2820 |
| Cement | | 753 | 25% to below 35% Mn | | 6210 |
| Marl | t | 565 | 35% to below 46% Mn | | 13492 |
| Madhya Pradesh | | | 46% Mn and above | | 18088 |
| Bauxite | t | | Fluorite (graded) | t | |
| Non-Metallurgical | | | 30% to below 70% CaF2 | | 8559 |
| Cement | | 724 | 70% to below 85% CaF2 | | 9250 |
| Refractory | | 1830 | 85% CaF2 and above | | NA |
| Chemical | | 828 | Kyanite | t | |
| Iron Ore (lumps) | t | | Below 40% Al2O3 | | NA |
| Below 55% Fe | | 514 | 40% Al2O3 and above | | 3284 |
| 55% to below 58% Fe | | 514 | Sillimanite | t | 3470 |
| 58% to below 60% Fe | | NA | Limestone | t | |
| 60% to below 62% Fe | | NA | Chemical | | NA |
| Iron Ore (fines) | t | | BF | | NA |

NA : Not Available

t : Tonne

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production June 2018 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : June 2018

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|---|------|---------|---|------|---------|
| Cement | | 375 | Manganese Ore | t | |
| Marl | t | 281 | 25% to below 35% Mn | | NA |
| Meghalaya | | | Phosphorite | t | |
| Sillimanite | t | 7000 | Upto 25% P2O5 | | 513 |
| Limestone | t | | Above 25% to 30% P2O5 | | 3658 |
| Chemical | | NA | Above 30% P2O5 | | 4700 |
| Cement | | 375 | Fluorite (graded) | t | |
| Marl | t | 281 | Below 30% CaF2 | | NA |
| Odisha | | | 30% to below 70% CaF2 | | NA |
| Chromite | t | | 70% to below 85% CaF2 | | NA |
| Lumps | | | Garnet (abrasive) | t | 5447 |
| Below 40% Cr2O3 | | 6350 | Garnet (gem) | kg | NA |
| 40% to below 52% Cr2O3 | | 9323 | Limestone | t | |
| 52% Cr2O3 and above | | NA | LD | | 425 |
| Fines | | | Chemical | | 373 |
| Below 40% Cr2O3 | | 2249 | Cement | | 375 |
| 40% to below 52% Cr2O3 | | 10406 | Marl | t | 283 |
| 52% Cr2O3 and above | | 13824 | Selenite | t | 2000 |
| Concentrates | | 10593 | Siliceous Earth | t | 699 |
| Iron Ore (lumps) | t | | Vermiculite | t | NA |
| Below 55% Fe | | 1577 | Wollastonite | t | 863 |
| 55% to below 58% Fe | | 1792 | Tamil Nadu | | |
| 58% to below 60% Fe | | 2668 | Bauxite | t | |
| 60% to below 62% Fe | | 3146 | Non-Metallurgical | | |
| 62% to below 65% Fe | | 4094 | Cement | | NA |
| 65% Fe and above | | 5076 | Garnet (abrasive) | t | NA |
| Iron Ore (fines) | t | | Graphite | t | |
| Below 55% Fe | | 683 | With less than 40% fixed carbon | | NA |
| 55% to below 58% Fe | | 683 | With 40% or more fixed carbon but less than | | NA |
| 58% to below 60% Fe | | 954 | 80% fixed carbon | | |
| 60% to below 62% Fe | | 982 | With 80% or more fixed carbon | | NA |
| 62% to below 65% Fe | | 1862 | Sillimanite | t | NA |
| 65% Fe and above | | 2076 | Limestone | t | |
| Iron Ore Conc. | t | 2100 | LD | | NA |
| Manganese Ore | t | | Chemical | | NA |
| Dioxide ore | | 28959 | Cement | | 375 |
| Below 25% Mn | | 1000 | Magnesite | t | 3980 |
| 25% to below 35% Mn | | 7563 | Marl | t | 281 |
| 35% to below 46% Mn | | 22291 | Vermiculite | t | 3310 |
| 46% Mn and above | | 24633 | Telangana | | |
| Garnet (abrasive) | t | 8434 | Iron Ore (lumps) | t | |
| Graphite | t | | 55% to below 58% Fe | | NA |
| With less than 40% fixed carbon | | NA | Manganese Ore | t | |
| With 40% or more fixed carbon but less than | | NA | Dioxide ore | | NA |
| 80% fixed carbon | | | Below 25% Mn | | 4163 |
| With 80% or more fixed carbon | | NA | 25% to below 35% Mn | | 7158 |
| Sillimanite | t | 7298 | Limestone | t | |
| Limestone | t | | Cement | | 375 |
| BF | | 338 | Marl | t | 281 |
| Cement | | 407 | Uttar Pradesh | | |
| Marl | t | 305 | Limestone | t | |
| Rajasthan | | | Cement | | 375 |
| Iron Ore (lumps) | t | | Marl | t | 281 |
| Below 55% Fe | | 300 | Uttarakhand | | |
| 55% to below 58% Fe | | NA | Magnesite | t | 1403 |
| 65% Fe and above | | NA | West Bengal | | |
| Iron Ore (fines) | t | | Apatite | t | NA |
| Below 55% Fe | | NA | Moulding Sand | t | NA |
| Iron Ore Conc. | t | NA | | | |

NA : Not Available

t : Tonne

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production June 2018 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /
Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : June 2018

| <u>State / Mineral / Grades</u> | <u>Unit</u> | <u>ASP (₹)</u> |
|---------------------------------|-------------|----------------|
|---------------------------------|-------------|----------------|