INDIAN BUREAU OF MINES MINERALS DEVELOPMENT AND REGULATION DIVISION

MCDR INSPECTION REPORT

Gandhinagar regional office

Mine file No : RAJ/RJS/LEAD-ZINC-COPPER-1 Mine code: 34RAJ27001

Name of the Inspecting : G021) DATA RAM GURJAR

Officer and ID No.

(ii) Designation : Sr. Asst. Contrl. Mines

(iii) Accompaning mine : Sh. Pushpendra Dhabhai, Mine Manager & Dr. S.B. Shukla

Official with

Designation

(iv) Date of Inspection : 20-JAN-20 Prev.inspection date : 13-SEP-19 (v)

PART-I : GENERAL INFORMATION

Underground

(a) Mine Name : RAJPURA DARIBA

(b) Registration NO. : IBM/421/2011

(C) Category : A Mechanised (d) Type of Working

(e) Postal address

> State : RAJASTHAN District RAJSAMAND Village DARIBA Taluka RAILMAGRA

Post office : DARIBA Pin Code : 313211

02952-65143 FAX No.

E-mail : sunil.duggal@vedanta.co.in

0294-2421420 Phone

(f) Police Station : Railmagra First opening date : 28-DEC-70 (g)

Weekly day of rest (h) : SUN

Address for : RAJPURA-DARIBA

correspondance DISTRICT-RAJSAMAND(RAJ.)

PIN-313211

3. : RAJ0654 (a) Lease Number (b) Lease area : 1142.2

Period of lease : 50 (C)

(d) Date of Expiry : 12-MAY-60

Mineral worked 4. : COPPER ORE Associated

> Main LEAD & ZINC ORE

5. Name and Address of the

Lessee : Hindustan Zinc Ltd

Yashad Bhavan Udaipur UDAIPUR RAJASTHAN

Phone: FAX:

Owner : SUNIL DUGGAL

YASHAD BHAWAN UDAIPUR UDAIPUR RAJASTHAN Phone: 0294-6604120 FAX : 0294-6604120

Agent : Ram Murari

Rajpura Dariba Lead Zinc Mine PO-Dariba, Tehsil-Railmagra RAJSAMAND

RAJASTHAN

Phone: 02952-265164 FAX: 02952-265143

Mining Engineer

Name : Pushpendra Singh Dhabhai, Full Time

Qualification : B Tech Mining & FCC-UR

Appointment/ : 06-JUN-19

Termination date

Geologist

Name : Shashi Bhusan Shukla, Full Time

Qualification : MSc Geology Appointment/ : 16-FEB-14

Termination date

Manager

Name : Pushpendra Singh Dhaibhai Qualification : B Tech Mining & FCC UR

Appointment/ : 06-JUN-19

Termination date

12-DEC-00 Mining Scheme rule 12 MCDR1988 19-AUG-05 Renewal under rule 22 MCR1960 26-MAY-09 Modif.approved Mining Scheme 26-MAY-09 Modif.of approved Mining Plan 19-OCT-12 Mining Scheme rule 12 MCDR1988 22-JUL-15 MP modif under 17(3) MCR 2016 26-SEP-17 MP review under 17(1) MCR 2016 23-JAN-18 MP modif under 17(3) MCR 2016 10-MAY-19

PART - II : OBSERVATION/COMMENTS OF INSPECTING OFFICERS

Exploration :

Sl.No.	Item	Proposals	Actual work	Remarks
1a	Backlog of previous year	Year 2018-19 UG- 12600m Surface- No proposal	Year 2018-19 UG- 10928.4m Surface- 21502.2m	Due to shortfall in U/G exploration during the year 2018-19, violation letter of Rule 11(1) of MCDR 2017 was already issued to the lessee by the previous inspecting officer vide this office letter 08/04/2019.
1b	Exploration over lease area for geological axis 1 or 2	During the year 2018-19 12600m U/G drilling has been proposed to upgrade the resources into G1/G2 level. During the current year 2019-20 total 12200m(U/G) & 31000m(Surfac e) drilling proposed.	During the year 2018-19 10928.4m U/G drilling & 21502.2m drilling from surface has been carried out to upgrade the resources into G1/G2 level. During the current year 2019-20 total 5677.90 m(U/G) & 18103.15m(Surface) drilling has been carried out till Dec. 2019.	(1)Due to shortfall in U/G exploration during the year 2018-19, violation letter of Rule 11(1) of MCDR 2017 was already issued to the lessee by the previous inspecting officer vide this office letter 08/04/2019. (2) Due to shortfall in current year exploration drilling till december 2019, violation letter of Rule 11(1) of MCDR 2017 was already issued to the lessee vide this office letter 16.03.2020.

Remarks

1c	Exploration Agencies and Expenditure in lakh rupees during the year	2018-19 & 2019-20: UG- HZL, SMS Ltd. & Transnational Drilling & Mining Associates Pvt. Ltd Expenditures Not specified.	2018-19: UG- HZL, SMS Ltd. & Transnational Drilling & Mining Associates Pvt. Ltd Surface-Transnational Drilling & Mining Associates Pvt. Ltd. UG expenditure - 22711600 (INR) Surface expenditure - 90400000 (INR) 2019-20 (Till Dec. 2019): UG- HZL, SMS Ltd. & Transnational Drilling & Mining Associates Pvt. Ltd Surface-Transnational Drilling & Mining Associates Pvt. Ltd. UG expenditure - 27919919 (INR) Surface expenditure - 90517500 (INR)	Nil
1d	Balance area to be explored to bring Geological axis in 1 or 2	No specific proposal given	N/A	It is U/G Mine, the resources upgade into G1/G2 level with depth continuity of ore body lenses.
1e	Balance reserve as on 01/04/20	Not specified on year to year basis.	11.6 million tons as on 01.04.2019	Nil
1f	General remarks of inspecting officers on geology, exploration etc			Due to shortfall in U/G exploration during the current year 2019-20 up to december 2019, violation letter of Rule 11(1) of MCDR 2017 was already issued to the lessee vide this office letter 16/03/2020.
Dev	elopment :			

Propasals Actual work

Sl.No.

Item

2a	Location of development w.r.t.lease area		During the year 2018-19 & current year 2019-20 U/G mine development has been carried out in proposed location 1.North Lode, 2.East Lode, 3.Main Lode, 4.South Lode	During the current year 2019-20 mine development of 4953.73meterage has been acheived up to December 2019 against the target of 13000meterage hence violation of rule 11(1) of MCDR 2017 issued to the lessee vide this office letter dated 16.03.2020.
2b	Separate benches in topsoil, overburden and minerals (Rule 15)	Not applicable as it is U/G Mine.	Not applicable as it is U/G Mine.	Nil
2c	Stripping ratio or ore to OB ratio	Not applicable as it is U/G Mine.	Not applicable as it is U/G Mine.	Nil
2d	Quantity of topsoil generation in m3	as it is U/G	Not applicable as it is U/G Mine.	Nil
2e	Quantity of overburden generation in m3	No OB generation proposal because it is U/G mine however proposed waste generation from U/G mine development was 119600 cum during the year 2018-19.	OB generation-Nil, Total 81828 cum waste generated from U/G mine development during the year 2018-19	Nil
2f	General remarks of inspecting officers on development of pit w.r.t. type of deposit etc			Mine has been developed by underground mining method which is best suited to the type of deposit.

Exploitation:

Sl.No.	Item	Propasals	Actual work	Remarks
3a	Number of pit proposed for production	Not proposed	Being U/G mine it is not applicable. However production has been carried out in four lodes in U/G working as per proposal.	Nil

3b	Quantity of ROM mineral production proposed	2018-19: 1200000 tonnes. 2019-20: 1500000 tonnes.	2018-19: 1079955 tonnes. 2019-20: 783637.51 tonnes.(Up to Dec 2019)	Nil
3c	Recovery of sailable/usable mineral from ROM production	As Pb and Zn concentrates. Pb recovery - 68.63% Zn recovery - 83.91%	As Pb and Zn concentrates Pb recovery - 68.40% Zn recovery - 83.81%	Nil
3d	Quantity of mineral reject generation	No mineral reject generation proposal, however after beneficitaion total 880000 tonnes tailing generation was proposed.	No mineral reject generated, however after beneficitaion total 941671 tonnes tailing generated during the year 2018-19.	Nil
3e	Grade of mineral rejects generation and threshold value declared.	Not specified	In mill tailings Pb-0.24%, Zn-0.76%	Nil
3f	Quantity of sub grade mineral generation.	No proposal	No subgarde generation	Nil
3g	Grade of sub grade mineral generation	No proposal	No subgrade generation.	Nil
3h	Manual / Mechanised method adopted for segregating from ROM	Mechanized method through froth floatation	Mechanized method through froth floatation	Nil
3i	Any analysis or beneficiation study proposed and carried out for sub grade mineral and rejects.	No proposal	None	Nil
3j	Provision of drilling and blasting in mineral benches	Development blasts using burn cut pattern, Blast Hole Stoping in stopes	Development blasts using burn cut pattern, Blast Hole Stoping in stopes	Nil

3k	Provision of mining machineries in mineral benches	Proposed U/G mining by using LHD's,LPDT's, drill jumboo, rock drills, ITH drill machines etc.	U/G mining has been carried out by using LHD's,LPDT's, drill jumboo, rock drills, ITH drill machines etc.	Nil
31	Whether height of benches in overburden and mineral suitable for method of mining proposed in MP/SOM	Not proposed	Being U/G mine, it is not applicable.	Nil
3m	Total area covered under excavation/pits	It is U/G mine . Area under mining: 5.94 hect.	Area under mining: 5.94 hect.	Nil
3n	Ore to OB ratio for the pit/mine during the year.	Not proposed	Being U/G mine it is not applicable.	Nil
30	Total area put in use under different heads at the end of year	219.55 hect.	219.55 hect.	Nil
3p	Production of ROM mineral during the last five year period as applicable	Proposed Production of ROM mineral during last five-year period, as applicable 2014-15: 900000 T 2015-16: 800000 T 2016-17: 950000 T 2017-18: 1000000 T 2018-19: 1200000 T 2019-20: 1500000 T	Proposed Production of ROM mineral during last five-year period, as applicable 2014-15: 573284 T 2015-16: 668852 T 2016-17: 745532 T 2017-18: 895568 T 2018-19: 1079955 T 2019-20: 783637.51 T(up to Dec. 2019)	Nil
3q	General remarks of inspecting officers on method of mining etc.			Under Ground Method of mining is suitable to the type of deposit.

Solid Waste Management - Dumping:

Sl.No. Item Propasals Actual work Remarks

4a	Separate dumping of topsoil, OB and mineral rejects (Rule 32,33)		It is U/g mine hence there is no top soil & OB generation. The waste generated duirn the U/G mine development has been carried out as per approved proposals.	Nil
4b	Location of topsoil, OB and mineral reject dumps	No proposal, Mineral reject in form of		Nil
4c	Number of dumps within lease area and outside of lease area	within lease	One waste dump within lease	Nil
4d	Location of dumps w.r.t. ultimate pit limit (Rule 16)	It is U/g mine hence not applicable.	Not applicable	Nil
4e	Number of active and alive dumps.	One	One	Nil
4f	Number of dead dumps.	None	None	Nil
4g	Number of dumps established.	No proposal	Nil	Nil
4h	Whether Retaining wall or garland drain all along dumps are there.	Yes	Yes	Nil
4i	Length of Retaining wall or garland drain all along dumps	During the year 2018-19 no such proposal given.	Not applicable.	Nil
4ј	Number of settling ponds	No proposal	Nil	Nil
4k	Specific comments of inspecting officer on waste dump management			Violation has been pointed out by the previous inspecting officer vide this office letter dated 30.08.2019 for waste dump management.

Sl.No.	Item	Propasals	Actual work	Remarks
5a	Status of part or full extraction of mineral from mined out area before starting backfilling.	proposed after full extraction of mineral from	Backfilling has been carried out after full extraction of mineral from U/G stopes.	Nil
5b	Area under backfilling of mined out area	For the year 2018-19 proposed area under backfilling will be 375000 m3	During the year 2018-19 actual area under backfilling is 386067m3	Nil
5c	Concurrent use of topsoil for restoration or rehabilitation of mineral out area (Rule 32)	No proposal	It is U/g mine, hence not applicable.	Nil
5d	Total area fully reclaimed and rehabilitated	No specific proposal given	Nil	Nil
5e	General remarks of inspecting officers on backfilling and reclamation etc.			It is U/g mine, backfilling of mined out stopes is being carried out after full extraction of mineral.

Progressive Mine Clousre Plan:

Sl.No.	Item	Propasals	Actual work	Remarks
6a	Whether Annual report on PMCP submitted on time and correctly. Rule 23 E(2).	Submitted for the year 2018-19.	Submitted on time.	Nil
6b	Area available for rehabilitation (ha) .	No proposal	Not applicable.	Nil
6c	afforestation done (ha).	4 hect.	5 hect. infill plantation.	Nil
6d	No. of saplings planted during the year	5000 nos.	19000 nos.	Nil
6е	Cumulative no .of plants	Not specified	217500 nos.(up to year 2018-19)	Nil

6f	Any other method of	No proposal	Nil	Nil
	rehabilitation			
6g	Cost incurred on watch and care during the year	Not specified	Rs. 8500000 during the year 2018-19	Nil
6h	Compliance on reclamation and rehabilitation by backfilling (i) Voids available for backfilling (Lx B x D	475000 m3	482316 m3	Nil
6i	Compliance on reclamation and rehabilitation by backfilling (ii) Voids filled by waste / tailings	375000 m3	386067 m3	Nil
6j	Compliance on reclamation and rehabilitation by backfilling (iii)Afforestati on on backfilled area	No proposal	Not applicable	Nil
6k	Compliance on reclamation and rehabilitation by backfilling (iv) Rehabilitation by making water reservoir	No proposal	Not applicable.	Nil
61	Compliance on reclamation and rehabilitation by backfilling (v)any other specific means.	No proposal	None	Nil
6m	Compliance of rehabilitation of waste land within lease (i)afforestation	4 ha	5 ha (infill plantation)	Nil
6n	Compliance of rehabilitation of waste land within lease (ii)Area rehabilitation (ha)	4 ha.	5 ha(infill plantation)	Nil

60	Compliance of rehabilitation of waste land within lease (iii)Method of rehabilitation	Plantation	Plantation	Nil
бр	Compliance of environmental monitoring (core zone and buffer zone)	•		PMCP compliances is satisfactory.

Mineral Conservation:

Sl.No.	Item	Propasals	Actual work	Remarks
7a	ROM Mineral dispatch or grade-wise sorting within lease area	Proposal for ROM dispatched to captive beneficiation plant is given.	All ROM mineral dispatched to captive beneficiation plant within lease area.	Nil
7b	Method of grade- wise mineral sorting i.e. manual or mechanical.	Not proposed	All ROM mineral dispatched to captive beneficiation plant within lease area.	Nil
7c	Different grade of mineral sorted out at mines.	No proposal	All ROM mineral dispatched to captive beneficiation plant within lease area.	Nil
7d	Any beneficiation process at mines .	Yes, froth floatation process	Yes, froth floatation process. The beneficiation plant located within lease area.	Nil
7e	General remarks of inspecting officer on Mineral conservation and beneficiation issues			No issue was observed related to mineral conservation.

Environment:

Sl.No.	Item	Propasals	Actual work	Remarks
8a		removal of top soil	It is U/G mine, hence not applicable and there is no top soil generation.	Nil

8b	Concurrent use or storage of topsoil	No proposal	Being U/G mine there is no top soil generation.	Nil
8c	Separate dumps for overburden, waste rock, rejects and fines (Rule 33)	OB.	The waste generated during U/G mine development disposed off on separate dump as per proposal.	Nil
8d	Use of overburden, waste rock, rejects and fines dumps for restoring the land to its original use	No proposal given	The waste generated during U/G mine development disposed off on separate dump as per proposal.	Nil
8e	Phased restoration, reclamation and rehabilitation of lands affected by mining operations (Pits, dumps etc)	No proposal given	Being U/G mine it is not applicable. The waste dump is active.	Nil
8f	Baseline information on existence of plantation and additional plantation done (Rule 41)	During the year 2018-19 total 5000 nos. of of sapling was proposed over an area 4.0 hect.	19000 nos. sapling planted for gap filling over an area of 5 hect.	Nil
8g	Survival rate	85%	85%	Nil
8h	Water sprinkling on roads to control airborne dust		To control the dust, the water sprinkling on haul roads is being carried out.	Nil
8i 	General remarks of inspecting officer on aesthetic beauty in and around mines area			Aesthetic beauty is good in and around mines area.

Compliance of Rule 45:

Sl.No.	Item	Propasals	Actual work	Remarks
DI.NO.	1 CCIII	гторавать	ACCUAL WOLK	Remains

9a	Status of submission of Monthly and Annual returns	MR submitted up to Feb 2019 & AR submitted up to 2018-19.	Submitted on time.	Nil
9b	Scrutiny of Annual return for information on Mining Engineer, Geologist and Manager	Details given	Found Ok	Nil
9c	Scrutiny of Annual return on land use pattern for area under pits, reclaimed area, dumps etc.	Occupied by plant, buildings,	Found ok	Nil
9d	Scrutiny of Annual return on afforestation	Details given	Found ok	Nil
9e	Scrutiny of Annual return on mineral reject generation (Grade and quantity)	941671T Pb- 0.24% Zn- 0.76%	941671 T tailing reject generated during the year 2018-19. Pb- 0.24% Zn- 0.76%	Nil
9f	Scrutiny of Annual return on ROM stock and/or graded ore		A toal of 1079955 T of mineral production has been carried out.	Nil
9g	Scrutiny of Annual return on sale value, Ex. Mine price and production cost	Detail given	Cost of production per tonne Rs 4755 shown.	Discrepencies in cost of production was pointed out by previous inspection officer vide violation letter dated 30.08.2019 and show cause notce dated 16.12.2019.
9h	Scrutiny of Annual return on fixed assets	Detail given of Fixed assets Rs 3005735912	Seems to be correct.	Nil
9k	Scrutiny of Annual return on mining machineries	Details given	Found to be correct.	Nil

Details of violations observed during current inspection and compliance position of violation pointed out

Violation observed		Show couse position	
Rule NO.	Issued on Compliance on	Rule NO.	Issued on Compliance on
MCDR17 Rule 11(1)	16-MAR-20		

Date :

(DATA RAM GURJAR)

Indian Bureau of Mines