## INDIAN BUREAU OF MINES MINERALS DEVELOPMENT AND REGULATION DIVISION

## MCDR INSPECTION REPORT

## Ajmer regional office

	Mine :	file No : RAJ/AJM-414,	/WOI	-359 Mine code : 63RAJ01005
	(i)	Name of the Inspecting Officer and ID No.	:	SQ12 ) Sharma H.C.
	(ii)	Designation	:	Sr. Asst. Contrl. Mines
	(iii)	Accompaning mine Official with Designation	:	Sh. M. M. Atre, Representative of lessee
	(iv)	Date of Inspection	:	24-JAN-20
	(v)	Prev.inspection date	:	27-APR-18
		РА	RT-	I : GENERAL INFORMATION
1.	(a)	Mine Name	:	RAMAWAS(21/02)
	(b)	Registration NO.	:	IBM/8565/2012
	(c) (d) (e)	Category Type of Working Postal address State District Village Taluka Post office Pin Code FAX No. E-mail Phone		B Manual Opencast RAJASTHAN AJMER RAMAVAS BEAWAR RAMAVAS 305901 wolcamines@gmail.com 0141 2523561, 9414075575
	(f)	Police Station	:	BEAWAR
	(g)	First opening date	:	26-MAY-09
	(h)	Weekly day of rest	:	SUN
2.		ess for espondance	:	SMT RENU ATRE H.NO-378, BLOCK-C, MALVIYA NAGAR JAIPUR RAJASTHAN
3.	(C)	Lease Number Lease area Period of lease Date of Expiry	:	RAJ5119 4.9 50 16-JUN-58
4.	Miner	ral worked	:	WOLLASTONITE Main

5.	Name and Address of t	he		
	Lessee	: RENU ATRI	C	
		-	BLOCK-C MALVIYA IPUR JAIPUR N	
		FAX :		
	Owner	: RENU ATF	E	
		JAIPU Phone:	R RAJASTHAN	
		FAX :		
	Mining Engineer	2		
	Name	: Purshotur	n Goel,Full Time	
	Qualification	: B E (Min:	ing)	
	Appointment/ Termination dat		5	
6.	Date of approval of M Plan/Scheme of Mining	5	Fresh under rule 22 MCR1960 Mining Scheme rule 12 MCDR1988	

Mining Scheme rule 12 MCDR198824-JUN-14MP review under 17(1) MCR 201605-JUN-18

PART - II : OBSERVATION/COMMENTS OF INSPECTING OFFICERS

Exploration :

Sl.No.	Item	Proposals	Actual work	Remarks
la	Backlog of previous year	Nil for 2018- 19, but 10 B/H proposed to be carried out during 2019-20.	No proposed exploration for 2019-20 carried ou so far in the lease are	t
1b	Exploration over lease area for geological axis 1 or 2	In year 2019- 20 an area of 1.23 hects proposed to be covered under G1 exploration.	Nil	
1c	Exploration Agencies and Expenditure in lakh rupees during the year	Lessee himself, expenditure not estimated.	Not applicable	
ld	Balance area to be explored to bring Geological axis in 1 or 2	1.4 hects proposed to be covered under G1 exploration during 2020- 21.	2.63 hects required to be covered under G1 level exploration.	
1e	Balance reserve as on 01/04/20	142655 T in proved 111 category .	184366 T in proved 111 category.	
lf	General remarks of inspecting officers on geology, exploration etc	Not applicable	No proposed exploration for 2019-20 carried ou so far in the lease area.	

Development :

Sl.No.	Item	Propasals	Actual work	Remarks
2a	Location of development w.r.t.lease area	40 N-110N & 5W- 86W	Approximately as proposed.	
2b	Separate benches in topsoil, overburden and minerals (Rule 15)	bench in O/B waste &	Separate bench in O/B waste & mineral provided.	
2c	Stripping ratio or ore to OB ratio	1 : 0.25	1 : 0.26	

2d	Quantity of topsoil generation in m3	There is no top soil at proposed excavation site.	Not applicable
2e	Quantity of overburden generation in m3	25233 Т	Not reported
2£	General remarks of inspecting officers on development of pit w.r.t. type of deposit etc	Not applicable	The opencast manual method has been adopted for carrying out mining operations. The regular work interrupted due to local problem.

# Exploitation:

Sl.No.	Item	Propasals	Actual work	Remarks
3a	Number of pit proposed for production	Single pit near QR boundary.	As proposed	
3b	Quantity of ROM mineral production proposed	42056 T	About 483 T	
3c	Recovery of sailable/usable mineral from ROM production	16823 T	345 T	
3d	Quantity of mineral reject generation	25233 Т	Reported as Nil.	
3e	Grade of mineral rejects generation and threshold value declared.	No specified proposal	Not applicable	
3f	Quantity of sub grade mineral generation.	No specified proposal	Not applicable	
3g	Grade of sub grade mineral generation	Not applicable	Not applicable	
3h	Manual / Mechanised method adopted for segregating from ROM	Manual	Manual	

3i	Any analysis or beneficiation study proposed and carried out for sub grade mineral and rejects.	No proposal	Not applicable
3ј	Provision of drilling and blasting in mineral benches	Drilling by 32 mm dia Jack hammer & tractor compressor & Blasting by ANFO & slurry explosive.	Being done as proposed.
3k	Provision of mining machineries in mineral benches	Tractor trolley & loading manually.	Being done as proposed.
31	Whether height of benches in overburden and mineral suitable for method of mining proposed in MP/SOM	Yes, bench height of 3 mts in mineral.	Yes, bench height of 3 m is suitable to the method of mining.
3m	Total area covered under excavation/pits	0.25 hects.	About 0.12 hect.
3n	Ore to OB ratio for the pit/mine during the year.	1 : 0.25	1 : 0.26
30	Total area put in use under different heads at the end of year	0.36 ha	0.28 ha
3p	Production of ROM mineral during the last five year period as applicable	5520 T, 2015-	2013-14- 1038 T, 2014- 15- 3990 T, 2015-16- 5165 T, 2016-17- 700 T, 2017-18- 515 T, 2018-19- 345.00 T
3q	General remarks of inspecting officers on method of mining etc.	Not applicable	The workings are more or less as per proposals.

Solid Waste Management - Dumping:

Sl.No. Item

4a	Separate dumping of topsoil, OB and mineral rejects (Rule 32,33)	Yes, separate dumping of waste & reject proposed.	Yes, separate dumping of waste & reject done.
4b	Location of topsoil, OB and mineral reject dumps	No top soil exist at site of excavation. Reject dump proposed near PQ boundary.	Little reject generated had been used in making roads.
4c	Number of dumps within lease area and outside of lease area	One within lease	Little reject generated had been used in making roads.
4d	Location of dumps w.r.t. ultimate pit limit (Rule 16)	Outside UPL	Outside UPL
4e	Number of active and alive dumps.	One	Little reject generated had been used in making roads.
4f	Number of dead dumps.	None	None
4g	Number of dumps established.	None	None
4h	Whether Retaining wall or garland drain all along dumps are there.	along lee ward	The rejects used in road making, as such it is not applicable.
4i	Length of Retaining wall or garland drain all along dumps	Not specified	The rejects used in road making, as such it is not applicable.
4j	Number of settling ponds	None	None
4k	Specific comments of inspecting officer on waste dump management	Not applicable	No issue regarding waste dump management.

Solid Waste Management - Backfilling:

Sl.No.	Item	Propasals	Actual work	Remarks
5a	Status of part or full extraction of mineral from mined out area before starting backfilling.	No proposal	No area become matured for backfilling.	

5b	Area under backfilling of mined out area	No proposal	Not applicable
5c	Concurrent use of topsoil for restoration or rehabilitation of mineral out area (Rule 32)	Not applicable as no top soil generated	Not applicable
5d	Total area fully reclaimed and rehabilitated	No proposal	Not applicable
5e	General remarks of inspecting officers on backfilling and reclamation etc.	Not applicable	No area become matured for backfilling.

Progressive Mine Clousre Plan:

Sl.No.	Item	Propasals	Actual work	Remarks
ба	Whether Annual report on PMCP submitted on time and correctly. Rule 23 E(2).	Yes, as per rule	Not submitted.	
6b	Area available for rehabilitation (ha) .	NIL	NIL	
бс	afforestation done (ha).	0.01 ha	0.01 ha	
6d	No. of saplings planted during the year	50 nos	50 nos	
бе	Cumulative no .of plants	400 nos	30 nos	Very Low survival rate of plants due to grazing by cattle of encroachers.
6f	Any other method of rehabilitation	No proposal	Not applicable	
бg	Cost incurred on watch and care during the year	No proposal	Not applicable	

6h Compliance on NIL Not applicable reclamation and rehabilitation by backfilling (i) Voids available for backfilling ( Lx ВхD 6i Compliance on NIL Not applicable reclamation and rehabilitation by backfilling (ii) Voids filled by waste / tailings бj Compliance on Not applicable Not applicable reclamation and rehabilitation by backfilling (iii)Afforestati on on backfilled area 6k Compliance on No proposal Not applicable reclamation and rehabilitation by backfilling (iv) Rehabilitation by making water reservoir 61 Compliance on No proposal Not applicable reclamation and rehabilitation by backfilling (v)any other specific means. Compliance of Not applicable бm NIL rehabilitation of waste land within lease (i)afforestation бn Compliance of NIL Not applicable rehabilitation of waste land within lease (ii)Area rehabilitation (ha) Not applicable 60 Compliance of NIL rehabilitation of waste land within lease (iii)Method of rehabilitation

бр	Compliance of environmental monitoring (core zone and buffer zone)		
бq	General remarks of inspecting officers on PMCP compliance and progressive closure operations etc.	Not applicable	The annual report of work carried out for reclamation & rehabilitation as per progressive mine closure plan required to be submitted before 1 July 2019 has not been submitted to the Regional Controller of Mines.

# Mineral Conservation:

Sl.No.	Item	Propasals	Actual work	Remarks
7a	ROM Mineral dispatch or grade-wise sorting within lease area	42056 T	345 Т	
7b	Method of grade- wise mineral sorting i.e. manual or mechanical.	Manual	Manual	
7c	Different grade of mineral sorted out at mines.	No proposal	Single grade	
7d	Any beneficiation process at mines	No proposal	Not applicable	
7e	General remarks of inspecting officer on Mineral conservation and beneficiation issues	Not applicable	No issue regarding mineral conservation.	

Environment:

Sl.No.	Item	Propasals	Actual work	Remarks

8a	Separate removal and utilization of topsoil (Rule 32)	NIL	NIL	
8b	Concurrent use or storage of topsoil	NIL	NIL	No Top soil generated.
8c	Separate dumps for overburden, waste rock, rejects and fines (Rule 33)	25233 Т	5 Т	Only 5 MT reject spread on road.
8d	Use of overburden, waste rock, rejects and fines dumps for restoring the land to its original use	Dumping along Periphery	Only 5 MT Used for road	
8e	Phased restoration, reclamation and rehabilitation of lands affected by mining operations (Pits, dumps etc)	NIL	NIL	
8f	Baseline information on existence of plantation and additional plantation done (Rule 41)	50 nos of trees proposed to be planted per year	50 nos of trees proposed to be planted per year	
8g	Survival rate	70 %	30 %	
8h	Water sprinkling on roads to control airborne dust	Yes	Yes	
8i 	General remarks of inspecting officer on aesthetic beauty in and around mines area	Not applicable	The general aesthatic beauty in & around mine was satisfactory.	

Compliance of Rule 45:

Sl.No. Item Propasals Actual work Remarks	
---	--

9a	Status of submission of Monthly and Annual returns	Not applicable	M.R Submitted up to A.R. Submitted up to 2018-19.
9b	Scrutiny of Annual return for information on Mining Engineer, Geologist and Manager	Goel as mining	The salaries paid to supervisory staff had been stated as Nil.
9c	Scrutiny of Annual return on land use pattern for area under pits, reclaimed area, dumps etc.	about land use in item given	It can not be Nil.
9d	Scrutiny of Annual return on afforestation		
9e	Scrutiny of Annual return on mineral reject generation (Grade and quantity)	Given as Nil	It was stated that 5 T reject generated has been used in road.
9f	Scrutiny of Annual return on ROM stock and/or graded ore		Found in order
9g	Scrutiny of Annual return on sale value, Ex. Mine price and production cost	Information given	Found in order.
9h	Scrutiny of Annual return on fixed assets	All the information given in Part- II A stated as Nil.	These can not be Nil
9k	Scrutiny of Annual return on mining machineries	Information given	Found in Order.

Details of violations observed during current inspection and compliance position of violation pointed out				
Viola	tion observed	Show couse position		
Rule NO.	Issued on Compliance on	Rule NO.	Issued on Compliance on	

#### Date :

(Sharma H.C.)

Indian Bureau of Mines