

भारत सरकार GOVERNMENT OF INDIA
खान मंत्रालय MINISTRY OF MINES
भारतीय खान ब्यूरो INDIAN BUREAU OF MINES
क्षेत्रीय खान नियंत्रक के कार्यालय
OFFICE OF THE REGIONAL CONTROLLER OF MINES



REGD. POST
Phone 0674-2352463
TeleFax 0674-2352490
E-mail ro.bhubaneswar@ibm.gov.in
Plot No. 149, Pokhariput
BHUBANESWAR-751020

No. MPM/FM/18-ORI/BHU/2017-18

Date: 11.10.2017

To

Shri Sudhansu Kumar Das,
Addl. General Manager (Geo),
Power of Attorney Holder
Odisha Mining Corporation Ltd.
OMC House, Bhubaneswar- 751001

Sub: Approval of Modification of Mining Plan of Dubna Sakradihi Iron & Mn Mine along with Progressive Mine Closure Plan (PMCP), over an area of 1332.019 ha in Keonjhar district of Odisha State, submitted by M/s Odisha Mining Corporation Ltd under Rule 17 of MCR, 2016.

Ref: - i) Your letter No. 14143/omc/17 dated 03.10.2017.
ii) This office letter of even no. dated 04.10.2017.
iii) This office letter of even no. dated 04.10.2017 addressed to Director of Mines, Government of Odisha copy endorsed to you.

Sir,

This has reference to the letter cited above on the subject. The draft of Modification of Mining Plan along with Progressive Mine Closure Plan (PMCP) has been examined in this office based on site inspection carried out on 08.10.2017 by Shri Ramkishan R, Sr. Assistant Controller of Mines. The deficiencies observed are enclosed herewith as Annexure I.

You are advised to carry out the necessary modifications in the draft Modification of Mining Plan along with Progressive Mine Closure Plan in the light of the contents vide Annexure I and submit **three (3) firm bound and two (2) soft copies of the document text in CD in a single MS Word file (the drawing/plates in Auto CAD compatible format or JPG format in resolution of 100x100 pixels on same CD)** with financial assurance under Rule 23 F of MCDR 1988 of the Modification of Mining Plan within **15 (fifteen) days** from the date of issue of this letter, for further necessary action. If the total page of annexures exceeds 50 (Fifty) then it should be submitted as separate volume. But reference of these annexures must appear in the Modification of Mining Plan document. The plates are also to be submitted in separate volume.

The para-wise clarifications and the manner in which the deficiencies are attended should invariably be given while forwarding the modified copies of the Modification of Mining Plan along with Progressive Mine Closure Plan. It may be noted that no extension of time in this regard will be entertained and the Modification of Mining Plan along with Progressive Mine Closure Plan will be considered for rejection if not submitted within above due date . It may also be noted that if the deficiencies are not attended completely, the submission would be liable for rejection without further correspondence.

भवदीय / yours faithfully,

(HARKESH MEENA)

क्षेत्रीय खान नियंत्रक / Regional controller of Mines

Scrutiny comments in respect of Modification and Review of Mining Plan of Dubna Sakradihi Iron & Manganese Mines of M/s OMC Ltd in district Keonjhar of Odisha

Text:

GENERAL

1. It was reported during inspection that mine is not under operation so provide the exact details from which date the mine is not in operation and the reasons thereof with documentary evidence. Provide details regarding suspension, court cases and other statutory obligations if any against the leases / mine from any of the statutory bodies.
2. The details regarding, lease deed execution, FC EC, CTO and other statutory clearances obtained should also be furnished. Amalgamation of two leases permission over area of 1332.019 ha from state Govt. of Odisha has furnished accordingly lease deed executed over an area of 1332.019 ha should also be enclosed.
3. The e-mail, phone & fax no. of lessee may furnish on cover page.
4. The document titled should also include the progressive mine closure plan under 23 of MCDR'2017 besides to modification of mining plan under rule 17 of MCR 2016.
5. The review period should be 5 years from the end of last scheme of mining period i.e. 2015-16.
6. In the deviation of all proposed yearwise programmes given during last scheme of proper justification should be provided. During the last scheme of Mining review period exploration and plantation were carried out. Explain the same how the operations were carried out even though the mine is not working due to want of statutory clearances as reported.
7. Some of the DGPS co-ordinates listed in the plan are not matching with co-ordinates listed in authenticated plan, so rectify the same. DGPS survey carried out by ORASC and authenticated by competent authority should be submitted.
8. Sequence of para as per IBM Manual appraisal MP 2014 has not been covered in text. All the headings and tables as mentioned in the IBM Manual appraisal MP 2014 should be furnished in all chapters in the text.
9. Summary of proposal at a glance may be furnished before "Introduction" chapter covering Exploration, Excavation, Area Utilization, Stacking, Environmental Protective Measures etc."

10. The extent and nature of surface right being held by the Lessee to carry out various mining activities be indicated with documentary evidence. The details regarding the forest area permission obtained and applied for diversion may be furnished.
11. "Mineral Conservation and Development Rules 1988" to be replaced with "Mineral Conservation and Development Rules 2017" in the content of different parts of the text. The reference quoted at MCDR 1988 may be replaced with relevant rules under MCDR, 2017.
12. The qualification and experience of QPs should be enclosed as per the rule 15 of MCR, 2016.

GEOLOGY AND RESERVE

13. Final presentation of estimation of reserves / resources by cross section area method or slice method in 3d ore body modelling should be clarified. In the estimation of cross section area method area of cross section and area of influence may be mentioned.
14. The details like potentially mineralized area for iron and manganese and its extent (coordinate in WGS 84), potentially mineralized area explored (in forest and non-forest area, Govt. land, Pvt. land etc.), remaining area, proposal of exploration to explore remaining potentially mineralized area to be given with justification of adequacy in accordance with MEMC 2015 rules.
15. Reporting of Mineral Resources in the format prescribed in Part IV-A of Minerals (Evidence of Mineral Contents) Rules, 2015 to be submitted. Recovery factor while estimating the iron ore reserves/ resources from mineralised zone should be dealt with.
16. The potential mineralised area and non-mineralised area is divided without any proper exploration of the entire lease area. So mineralised for both iron and manganese and non-mineralised area should be divided based on the current level of exploration only and area should be furnished with justification of level of exploration. The explored areas with mineralisation , non-mineralisation and unexplored areas should be catogrised in to forest rest and non forest areas and other areas which should also be reflected in relevant plan and sections.
17. The UNFC boundaries as per the present status of exploration under MEMC rules 2015 may be demarcated over the Geological Plan and Sections. Total mineralised area with forest and non-forest type of land should also be furnished.

18. The depth of the proposed boreholes should be adequate enough to justify the lateral and depth extension of the ore zone along and across the section lines up to the end of mineralization considering the geology and nature of ore deposit.
19. The proposal for future exploration program should be furnished in tabular format so that the entire mining lease area should be explored under G1/G2 level of exploration indicating proposed borehole number, section line, coordinates, proposed depth, inclination, year of drilling etc. accordingly the proposal of future exploration programme may be modified.
20. The type of deposit for iron and manganese as per MEMC 2015 rules may be clearly defined like bedded, regular, irregular deposit etc. the strike and dip parameters should be mentioned in the text and relevant plans and sections should be drawn accordingly.
21. Bulk density test report for iron ore and Mn from Govt. Laboratory/NABL Accredited laboratory should be furnished in annexure.
22. As per guideline of "IBM manual on appraisal of Mining Plan 2014" at least 10% of total samples to be analyzed in accordance to BIS and reports from NABL accredited/Government Laboratory. Accordingly, the proposal should be given under future exploration programme.

MINING

23. The proposed and actual development carried out of different pits, quarries for iron and manganese during last five year period should be furnished with information on benches, grid location, mRL etc.
24. There were existing quarries and pits due to previous mining activities and the mining proposal given doesn't include some of the existing quarries. So justify the mining proposal development during the review period.
25. Stripping ratio may be furnished in t/cu.m format.
26. During filed inspection some hutments and infrastructure were observed in the lease area it may shown on relevant plan and sections
27. Ultimate pit depth is to be mentioned in all the working areas. Grid location of proposed working areas to be given for the proposed period.
28. Quantum of production and development may be described year wise with no. of benches, mRL, depth of excavation, direction of advancement, location and cross-section area considered for both Iron and Manganese ore. The mRL at the end of each scheme period should be mentioned in a tabular format for every pit area proposed with dimensions and no of benches with height and width and grid location for both iron and manganese ore.

29. ROM production of iron ore is proposed to be increased to 3 MTPA so that necessary statutory clearances will be taken to produce the said quantities.
30. The procedure of generated lumps and fines after processing should be dealt in detail like their dispatch and stacking. Protective measures around stacked materials should be furnished. Present quantity of stacked material with its location and stacking parameters should also be furnished for lumps and fines.
31. Geological Section wise of proposed ROM excavation quantity in for very year should be provided. Sections may be equally spaced so that the entire area proposed for excavation may cover.

HANDLING OF MINERALS REJECT/ SUB-GRADE AND DISPOSAL OF WASTE

32. The tables as per IBM Manual appraisal MP 2014 should be furnished.
33. Information on mineralisation or non-mineralisation proved in the underlying area of all the proposed and existing dumps should be furnished.
34. Present and further, Build-up of dumps from year to year to be mentioned in text w.r.t. designed capacity of dumps, bottom and top mRL of individual terrace, dump slope, individual terrace height, grid location and slope with description of method & manner of disposal of waste should be mentioned. Nature of dumps whether temporary or permanent should also be mentioned.
35. Adequate provision for Garland drain, retaining wall and other protective measures as required should be given keeping in view of the proposed dumps to prevent wash-off of material. The given proposals are may not be sufficient so review the same.
36. Proposal for rehandling of waste dumped in Quarry 5A (Mn Quarry) should be incorporated in the text, as the same has been dumped over mineralised area.

PROGRESSIVE MINE CLOSURE PLAN

37. Land use pattern of additional land requirement during scheme period may be provided yearwise.

FINANCIAL ASSURANCE

38. The area calculated for FA needs to be reviewed once and DWG file needs to be submitted.

Plates:-

General:

39. The extent lease area of the mine should be mentioned in the index of all plan and sections. All plans and sections should be signed with date by certified Surveyor, Qualified Person, Mine Manager, Mining Engineer and Mining

Geologist as per provisions of MCDR, 2017 and MMR, 1961. All plans & sections prepared should follow the conventions mentioned under MMR 1961.

40. All plans and sections should show a scale a scale of the plan at least twenty five centimeters long and suitably subdivided. True and magnetic north should be depicted in all plans with date and variation.
41. The plans and sections submitted should bear the certificate that -the plans and sections are prepared based on the lease map authenticated by the state government.
42. Date of survey should be given on all plans and sections and signature should bear date of signature.

Surface Plan:

43. Surface right area should be shown on surface plan. Power transmission lines to be shown in the plan. All boundary pillars coordinate in UTM, Latitude and longitude to be shown in tabulated form on surface plan. Few pillars may be correlated with some permanent ground feature giving distance and direction.
44. Surface plan needs to be updated and all the drilled BH to be shown. Year wise proposed boreholes in relevant colors.
45. Fines stack and some infrastructure observed along the boundary pillars of D so it may be shown on relevant plans. Hutments are observed during inspection inside lease area so they also to be shown on plans.

Geological Plan & Section:

46. In the Geological Plan and sections UNFC boundaries, UNFC codes, explored area, unexplored area, mineralised area, non-mineralised area should be divided in forest, non forest areas and forest diverted area, drilled boreholes till date and year wise proposed boreholes in relevant colors and legends to be shown.
47. The proposed boreholes to be plotted in dotted lines in Geological sections along with Collar Id, RL and proposed closing depth at the bottom of the borehole.
48. A separate plan called UNFC plan showing the Lease area, Forest-Non-forest and Diverted Forest boundary, UNFC boundaries, Surface right area, explored area, unexplored area, mineralized and non-mineralized area, UPL, already drilled boreholes in black color and year wise proposed boreholes in relevant color is to be submitted.
49. All the already drilled boreholes are to be shown in all the relevant plans (Geological Plan, Surface plan, UNFC plan etc) and Geological sections. The

year wise proposal for drilling, to be shown in different contrasting color in both plans (Geological Plan, Surface plan, UNFC plan etc) and Geological sections. The year wise color of the boreholes proposed in Geological plan should match with the plotted proposed boreholes in Geological sections.

50. Data related to strike, dip, dip-direction etc. shown on the geological plans are inadequate. Some more data may be shown to understand the geology of the area.
51. The index of the Geological plan and sections to be revised indicating the index for year wise drilling proposal, mineralized and non-mineralized boundary.
52. Dumps are not shown in sections so these dumps should be shown on all sections.

Key Plan

53. Approach road to the lease area should be shown.
54. Wind rose diagram should be shown

Development plan and Sections

55. Development is proposed in pit-7 but development plan & sections not provided. So may be furnished.
56. Each year development proposal for different blocks should be shown separately in different color. Composite development plan and section to be submitted.
57. The sections may be equally spaced according to the excavation area so that the sections will cover the entire excavation area proposed.

Environment plan

58. The proposed and existing environment protective measures to be shown in environment plan. The drainage pattern of the lease area also to be shown on the plan.
59. The Environment Plan as prepared should be satisfy the provision as laid down rule 32(5) (b) of MCDR, 2017.
60. The particulars with regard to items (ii), (iv) and (v) of Rule 32(5) (b) should be applicable only up to sixty meters beyond the boundary of lease area. The same should be demarcated in Environment plan.

Reclamation plan

61. Year wise progress of dumping, stacks, afforestation using different colour codes for easy understanding may be shown.

ENCLOSURE:

62. Proper indexing of annexures needs to be done.

A. M.