



भारत सरकार/Government of India  
खान मंत्रालय/Ministry of Mines  
भारतीय खान ब्यूरो/Indian Bureau of Mines  
हैदराबाद क्षेत्रीय कार्यालय/Hyderabad Regional Office



Phone No. : (040)-27539992/27539993  
Fax No.(TF): (040)-27539991  
No. AP/ANP/MP/IS-18/Hyd

To

Sri D Lakshmi Kantham  
Director(Technical) & Nominated Owner,  
M/S Penna cement Industries Ltd.,  
Lakshmi Nivas 705, Road No.3,  
Banjara Hills,  
Hyderabad-500 034, T.S

Room No.603, 6th Floor,  
CGO Towers, Kavadiiguda,  
Secunderabad.-50008.

Date:

Sub: Submission of draft Review of Mining Plan in respect of Gudipadu Limestone Mine-2 of M/s.Penna cement Industries Ltd. over an extent of 28.474 ha. of Gudipadu Village, Yadiki (M), Anantapur dist., A.P. submitted under Rule 17(2) of MCR,2016

Ref: Your letter no. PCIL:ULM:ROMP:2018 dated. 01.10.2018.

Sir,

With reference to your letter cited above on the subject, the inspection of the mine was carried out 25.10.2018 by Shri Ibrahim Sharief,Sr.ACOM accompanied by Shri Ramasubbiah,General Manager, Shri Anil Kumar,ACM (Mines) and Shri K.Rambabu, QP and found certain deficiencies as given in Annexure. The same scrutiny comments have already been forwarded on your e-mail ids i.e., boyareddyally@pennacement.com and rambabu.k@pennacement.com

02. You are advised to attend these deficiencies as per the annexure and resubmit the document, complete in all respects, in three bound copies along with soft copy in the form of CD (2Nos.). In this regard you are directed to submit the Financial Assurance in the form of Bank Guarantee for the area put on use for Mining and allied activities @ Rs.Three lakhs/hectare for category 'A' mines provided that the minimum amount shall be Rs.Ten lakhs as per the provision of Rule 27(1) of MCDR, 2017 at the time of submission of final copies of the document within 15 (fifteen) days from the date of issue of this letter, failing which the document will be disposed without giving any further opportunity.

03. The para-wise clarification and the manner in which the deficiencies are attended should be given while forwarding modified document.

Yours faithfully,

*Shewar*  
30/10/18

(Shailendra Kumar)  
Regional Controller of Mines

Copy to Sri K.Rambabu, QP for information and necessary action.

*Shewar*  
30/10/18

(Shailendra Kumar)  
Regional Controller of Mines

Inspection report cum scrutiny comments in respect of Cucipadi Limestone Mines over an extent of 28.47 ha situated in Gudipadu village, Yadaki Mandal, Anantapur district of A.P. State in favour of M/s Penna Cement Industries Limited.

Date of Inspection : 25.10.2018

Accompanied by: Shri Ramasubaiiah, G.M & Agent(Mines), Shri Navin Kumar, Manager (mines), Shri K Rambabu, Q.P, Shri Anil Kumar, AGM(Mines).

1. The Mining plan approved is valid up to lease period i.e. 07.07.2019, accordingly the review of mining plan document should be submitted for balance period only.
2. Excavation proposal should have been submitted in the already broken area for mining on Northern side of lease instead of fresh area on Southern side, to avoid more degradation of land.
3. Proposal of excavation on southern side of the lease area has been submitted but boundary pillars along with co-ordinates on this area have not been erected due to which precise area of the lease is not established in the said area. Hence Co-ordinates of lease boundary pillars duly authenticated by state government should be submitted and also furnished in tabular form in para 2.c.
4. Bore holes in the lease area is drilled within ore zone only, thereby contact zone has not been established. Hence exploration proposal should be submitted for drilling up to contact zone of mineralization.
5. Meter wise analysis of bore holes samples have not been undertaken in respect of BH-12 to 17. Further it is noted that meter wise analysis of 10% of total samples is also not done (refer Annexure-10). For estimation of resources and reserves, proper sampling analysis should be done as per statute.
6. Details of violations with status of compliance has not submitted with documentary evidence, refer para 3.4.
7. Actual excavation is in deviation with the approved proposals, which needs justification.
8. In view of the above relevant para, plans and section should be suitably modified and submitted.